


**Omron Automation & Safety - U.S. Headquarters**

2895 Greenspoint Parkway, Suite 200

Hoffman Estates, IL 60169

**Tel:** +1 (800) 556-6766, +1 (847) 843-7900

**Fax:** +1 (847) 843-7787

**Email:** [info@omron.com](mailto:info@omron.com)

## Item # E2E-X2D1-R, E2E Series 2 mm Sensing Distance Proximity Sensor with 2 m Robotic Cable

Proximity Sensor



### Specifications

<b>Type</b>	Proximity Sensor
<b>Output Type</b>	2-Wire Direct Current (DC)
<b>Sensor Type</b>	Inductive
<b>Range</b>	0 to 2 mm
<b>DC Voltage</b>	12 to 24 V
<b>Accessories</b>	Y92E-B8, Y92E-GS08, Y92E-GS08-SS, Y92E-GSB08, Y92E-ES08, Y92E-G08S, Y92E-G08S-T, Y92E-EG08-T, Y92E-CF08, Y92E-B08MT, Y92E-B08FRAS, Y92E-B08RAS, E39-VA
<b>Spare Parts</b>	M8-MHWS
<b>Special Function</b>	High-Quality Short Barrel Threaded Cylindrical Prox Conforms to Standard CENELC Sensing Distance.
<b>Size</b>	M8
<b>Shield Type</b>	Shielded

<b>Robot Cable Length</b>	2 m
<b>Contact Configuration</b>	Normally Open (NO)
<b>Case Material</b>	Stainless Steel
<b>Threaded Length</b>	26 mm
<b>Overall Length</b>	37 mm
<b>Mounting</b>	Bracket with 8 mm Mounting Hole or M8x1 Threaded Hole
<b>Mounting Hole Size</b>	8 mm
<b>Industry Standards</b>	CENELC
<b>Electrical Connection</b>	2 m Robotic Cable
<b>Sensing Distance</b>	2 mm