

Datasheet

2.6MM BANANA SOCKET YELLOW BAG OF 5

Stock No: 22515-7-108-8-Y



Technical Specifications:

Model:	22515-7-108-8-Y:
Length	17mm
Contact Material	Brass
Insulation Material	ABS
Current Rating	32A
Voltage Rating	30VAC-60VDC
Contact Plating	Nickel plated
Colour	Yellow
Gender	Female
Termination Method	Screw

Features & Benefits:

- Female Socket Banana Connector
- Colour = Yellow
- Supplied in Bags of 5

RS Pro brings you a comprehensive range of quality 2.6 and 4MM banana terminations. Incorporating Plugs, Sockets, Terminal posts and Fork connections. The range also encompasses Low Profile, Gold and Dual termination. Bananna connections are frequently used to terminate patch cords for test equipment, Audio leads and many test and installation applications.

Datasheet

4MM BANANA PLUG NICKEL PLATED BLACK

Stock No: 41515-7-100-3-BL



Technical Specifications:

Model:	41515-7-100-3-BL:
Length	46mm
Contact Material	Brass
Insulation Material	PE
Current Rating	19A
Voltage Rating	30VAC-60VDC
Contact Plating	Nickel plated
Colour	Black
Gender	Male
Termination Method	Soldering

Features & Benefits:

- Male Plug Banana Connector
- Colour = Black
- Supplied in Bags of 5

RS Pro brings you a comprehensive range of quality 2.6 and 4MM banana terminations. Incorporating Plugs, Sockets, Terminal posts and Fork connections. The range also encompasses Low Profile, Gold and Dual termination. Bananna connections are frequently used to terminate patch cords for test equipment, Audio leads and many test and installation applications.

Datasheet

4MM BANANA PLUG NICKEL PLATED RED BAG OF 5

Stock No: 41515-7-100-4-R



Technical Specifications:

Model:	41515-7-100-4-R:
Length	46mm
Contact Material	Brass
Insulation Material	PE
Current Rating	19A
Voltage Rating	30VAC-60VDC
Contact Plating	Nickel plated
Colour	Red
Gender	Male
Termination Method	Soldering

Features & Benefits:

- Male Plug Banana Connector
- Colour = Red
- Supplied in Bags of 5

RS Pro brings you a comprehensive range of quality 2.6 and 4MM banana terminations. Incorporating Plugs, Sockets, Terminal posts and Fork connections. The range also encompasses Low Profile, Gold and Dual termination. Bananna connections are frequently used to terminate patch cords for test equipment, Audio leads and many test and installation applications.