

FEATURES

- Blades made from high-grade Chrome-vanadium steel
- The rotating cap allows the operator to drive easily and adjust precisely
- Tri-lobe shape of the handle
- Eyelet in handle for extra storage options

RS PRO Precision Phillips, Slotted Screwdriver Set 7 Piece

RS Stock No.: 243-513



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

From RS PRO this seven-piece screwdriver set contains popular sizes of cross and flat head screwdrivers. Crosshead, or Phillips head, and flathead are perhaps the most common types of screws, and can be found in anything from electrical appliances to woodwork constructions.

General Specifications

Screwdriver Type	Precision
Number of Pieces	9
Tip Type	Slotted; Philips
Set Contents	Slotted: 1.50mm x 0.23mm x 60mm, 2.5mm x 0.4mm x 60mm, 3.0mm x 0.5mm x 60mm, 3.0mm x 0.5mm x 100 mm Phillips: No.00 x 60mm, No.0 x 60mm No.1 x 80mm
Applications	Mechanical and industrial production, Electronics, Opening consoles - Xbox/Playstation, Woodworking/carpentry, Fastening wood and metal

Mechanical Specifications

Tip Size	Slotted: 1.5mm; 2.5mm; 3mm Phillips: PH00; PH0; PH1
Blade Length	Slotted: 50mm; 50mm; 50mm; 100mm Phillips: 60mm; 60mm; 80mm
Blade Material	Silicone Chrome Molybdenum Vanadium steel (svcm55)
Handle Material	Polypropylene / TPR double injection
Blade Finish	Satin chrome finish with Phosphate black tip
Hardness	Heat treated to HRC: 55~59 degrees



Selection Guide			
Pieces	Style	Size	Stock No
7	Slotted (4) Phillips (3)	1.5x50, 2.5x50, 3x5, 3x100 00x60, 0x60, 1x80	243-513
7	Slotted (4) Phillips (3)	2.5x50, 2.5x50, 3x50, 3x100 00x60, 0x60, 1x80	243-585
5	Torx	T6X60, T7x60, T8x60, T9x60, T10x100	243-692
7	Hex	0.6x60, 0.7x60, 1.3x60, 1.5x60, 2.0x60, 2.5x100, 3.0x100	243-686
5	Nut Spinner	2.5, 3, 3.2, 3.5, 4 x 60 mm	243-664

Parts	Model		Stock no.
7 to	Hex.	0.6 x 60, 0.7 x 60, 1.3 x 60, 1.5 x 60, 2.0 x 60, 2.5 x 100, 3.0 x 100	243-686
5	Nut driver	2.5, 3, 3.2, 3.5, 4 x 60 mm	243-664
5	TORX®:	T6 x 60, T7 x 60, T8 x 60, T9 x 60, T10 x 100	243 to 692
7 to	Slotted/Phillips	Slotted: 1.5 x 50, 2.5 x 50, 3 x 5, 3 x 100 ; Ph00 x 60, Ph0 x 60, Ph1 x 80	243-513