
REVISIONS							
REV	ECO	DESCRIPTION	DATE	BY	APPR		
A1	-	TECHNICAL DATA SHEET RELEASE	12-MAY-14	KMM	RFC		



Amphenol P/N	ROCKWELL P/N	MOLEX	TURCK		
P29045	1485A-C1	65-0085	RSM-CC		

Risk of Electrical Shock
/// Risque de chocs electriques
/ 🎢 / Ne pas debrancher sous tension.
l △♥→ /NWARNING
<u> </u>

	PART NUMBER			DESCRIPTION					ITEM	
QUANTITY		Г	MAT	ERI	٦L:	S LI	ST			
	UNLESS OTHERWISE SPECIFIED  1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC +0.30		ATURES	DATE	Amphonol					
			KMM	12-MAY-14	<ul><li>Amphend</li></ul>			OI		
2 PL DEC ±0.15 3 PL DEC ±0.08	2 PL DEC ±0.15 Angles ±1°	CHECKED:	MRF	12-MAY-14		Sin	Sine Systems - www.amphenol-sine.com			
3) Note reference	3) Note reference = X		KMM		44724 Morley Drive					
MATERIAL SPECIFICA	ERIAL SPECIFICATIONS:	APPROVAL:	RFC	12-MAY-14			Clinton Township, MI 48036			
	PROCESS SPECIFICATIONS:		CUSTOMER:  THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY, DESIGN FEATURES.			M22, CLOSURE CAP FOR FEMALE CONNECTOR, DROP				
										,
PROCESS SPECIFICA					SIZE	C-	P2904	5		A1
NEXT ASS'Y:		MANUFACTURING VARIATIONS.			SCALE:	FULL	C-P29045	SHEET	1 0	)F 1

TECHNICAL DATA:

1) MATERIALS: HOUSING: MACHINED ALUMINUM, ANODIZED

2) RoHS COMPLIANT