

454 T-handle hexdriver, 4 x 100 mm

Series 400 T-Handle



EAN:	4013288096494	Size:	133x70x16 mm
Part number:	05013332001	Weight:	37 g
Article number:	454	Country of origin:	CZ
		Customs tariff number:	82054000

- T-handle hexagonal screwdriver for socket head screws
- Single-component, ergonomic T-shaped handle
- T-shaped design - ideal for the transfer of particularly high tightening or loosening forces
- Very robust and wear-resistant thanks to special alloy blade steel
- Bevelled, chrome-plated

T-handle hexagonal screwdriver for socket head screws. Hex-Plus offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. The ideal handle shape makes the transfer of higher tightening and loosening torque possible. The ergonomic design of the handle fills the palm of the hand and the fingers rest in the soft, rounded recesses. The whole hand is in contact with the handle so there is no frictional loss between the hand and the handle.

Web link

http://products.wera.de/en/screwdrivers_series_400_t-handle_454.html

Wera - 454

05013332001 - 4013288096494

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Ergonomic design




The T-handle is useful whenever higher tightening or loosening torque need to be applied. The exclusive use of hard material in combination with the large contact surface area in the hand ensures an efficient, positive transfer of power.



The ergonomic design of the T-handle fills the palm of the hand. The fingers rest in the soft, rounded recess, and the whole hand is in contact with the handle – so there is no friction loss between the hand and handle.

High torque transfer



By using the blade as an extension of your lower arm you can transfer particularly high torque.

Superior wear resistance



The blades guarantee superior wear resistance and robustness.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Web link

http://products.wera.de/en/screwdrivers_series_400_t-handle_454.html

Wera - 454

05013332001 - 4013288096494

Further versions in this product family:

		 mm	 mm	 mm	 inch
05013300001	2	100	27	61	4
05013301001	2	200	27	61	8
05013302001	2.5	100	27	61	4
05013303001	2.5	200	27	61	8
05013304001	3	100	33	70	4
05013305001	3	150	33	70	6
05013300001	3	200	33	70	8
05013331001	3	350	33	70	14
05013332001	4	100	33	70	4
05013306001	4	150	33	70	6
05013307001	4	200	33	70	8
05013333001	4	350	33	70	14
05013334001	5	100	44	87	4
05013308001	5	150	44	87	6
05013309001	5	200	44	87	8
05013335001	5	350	44	87	18
05013337001	6	100	44	87	4
05013338001	6	150	44	87	6
05013310001	6	200	44	87	8
05013339001	6	350	44	87	14
05013311001	7	200	44	87	8
05013341001	8	150	44	87	6
05013312001	8	200	44	87	8
05013314001	10	200	44	87	8

Web link

http://products.wera.de/en/screwdrivers_series_400_t-handle_454.html

Wera - 454

05013332001 - 4013288096494

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de