

## Crimping pliers - CRIMPFOX-SC 6 - 1212050

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Crimping pliers, for uninsulated slip-on sleeves 2.8, 4.8, and 6.3 mm, 0.5 - 6 mm<sup>2</sup>, B crimp

### Your advantages

- Consistently high crimping quality
- Marked die stations for precise processing of corresponding cross sections
- Unlockable pressure lock



### Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 453950
GTIN	4046356453950

### Technical data

#### Dimensions

Length (b)	256 mm
Width (a)	25 mm
Height (c)	68 mm

#### General

Color	black
Compression	B crimp
Type of contact	Slip-on sleeve
Designation	Crimping position 1
Min. cross section	0.5 mm <sup>2</sup>
Max. cross section	1.5 mm <sup>2</sup>
AWG min	22
AWG max	16

# Crimping pliers - CRIMPFOX-SC 6 - 1212050

## Technical data

### General

Designation	Crimping position 2
Min. cross section	1.5 mm <sup>2</sup>
Max. cross section	2.5 mm <sup>2</sup>
AWG min	16
AWG max	14
Designation	Crimping position 3
Min. cross section	2.5 mm <sup>2</sup>
Max. cross section	6 mm <sup>2</sup>
AWG min	14
AWG max	10
Die station	Crimping position 4
	Crimping position 5
Weight	578 g
Min. cross section	0.5 mm <sup>2</sup>
Max. cross section	6 mm <sup>2</sup>
AWG min	20
AWG max	10

### Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

## Approvals

### Approvals

Approvals

EAC

Ex Approvals

### Approval details

EAC		RU x- DE.xx08.B.02974
-----	---	--------------------------

Phoenix Contact 2019 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>