Data communication systems for Ethernet technology

ETHERLINE® 2 pair: CAT.5e 105C Plus; flexible

Industrial Ethernet cable for high temperature flexible applications

Construction LAPP KABEL STUTIGART ETHERLINE® CAT.5e 105 Plus Conductors: bare copper wire Insulation: polyethylene ETHERLINE® 105C is designed to perform in high temperature applications. The Shielding: foil and copper braid 2 pair construction includes foil and braid shielding and a TPE-based jacket. Jacket: TPE; green Application advantage Recommended applications • Highly temperature resistant (105°C permanent, Flexible high temperature applications; installation in hollow shaft between 120°C temporary) gear units and pitch system; PLCs, sensors, and other network devices · No need for additional protection against high temperatures • Suitable for EtherCAT[®] & EtherNet/IP applications Approvals · Conforms to PROFINET® standard Profi RoHS 🗸 • Optimum EMC EtherNet/IP EtherCAT. NĖĖ • Suitable for PoE per IEEE 802.3at Cable attribute page 648 plete the installation OIL OR-04 FLAME FR-00 **SKINTOP®** RI45 ÖLFLEX[®] CONNECT CABLES connectors MS-SC page 605 1 MOTION FL-02 MECH MP-05 page 522 page 258 Technical data Minimum bend radius: 7 Nominal voltage: 125V (not for power applications) - for stationary use: 10 x cable diameter - for flexible use: 15 x cable diameter **Z**_∞ Characteristic impedance: $100\Omega \pm 15\Omega$ * Temperature range: Color code: white, yellow, blue, orange - for stationary use: -40°C to +105°C (up to +120°C for temporary loads) Approvals: RoHS - for flexible use: -30°C to +105°C

Part number	Construction	Stranding	Jacket material	Jacket color	Approvals	Fast connect	PoE	Non outer d in	ninal iameter mm	Approx. weight lbs/mft	SKINTOP® MS-SC PG thread
CAT.5e											
2170636	22 AWG/2pr	7 wire	TPE	green	PROFINET [®]	no	yes	0.244	6.2	36	53112210

PROFINET® is a registered trademark of the PNO (PROFIBUS User Organization). EtherCAT® is a registered trademark of Beckhoff Automation GmbH. Recommended SKINTOP® assumes minimal OD variance. Additional configurations are available; please see our SKINTOP® section.

If not otherwise specified, all values relating to the product are nominal values. Photographs are not to scale and are not true representations of the products in question.

Ω LAPP 240