

ETHERLINE® 4 pair: CAT.6A/CAT.7; stationary

Industrial Ethernet cable for stationary applications

LAPP KABEL STUTTGART ETHERLINE® P PiMF CAT.6A



LAPP KABEL STUTTGART ETHERLINE® H PiMF CAT.7



ETHERLINE® CAT.6A and CAT.7 cables are suitable for stationary applications. The 4 pairs are individually wrapped in metal foil and the overall braid provides additional protection against EMI. Three different jacket options are available.

Construction

- Conductors:** solid bare copper
- Pairs:** 4 pairs, individually shielded with foil tape
- Insulation:** polyethylene
- Shielding:** overall copper braid
- Jacket:** PVC, polyurethane, or halogen-free; green

Recommended applications

Stationary applications in harsh industrial environments; dry or damp rooms; CAT.6A = 500 MHz; CAT.7 = 600 MHz

Application advantage

- Suitable for EtherCAT® & EtherNet/IP applications
- PUR jacket is highly resistant to mineral oils and abrasion
- Suitable for PoE per IEEE 802.3at

Approvals



Cable attributes page 648

See attribute list by part number on page 234

Complete the installation



SKINTOP® MS-SC page 522

ÖLFLEX® CONNECT solution



Industrial Ethernet cordsets page 620

Technical data

Minimum bend radius: - for stationary use:	10 x cable diameter	Characteristic impedance:	100Ω ± 15Ω
Temperature range: - PUR & PVC: - halogen-free:	-40°C to +80°C -25°C to +80°C	Color code:	white/blue & blue, white/orange & orange, white/green & green, white/brown & brown
Nominal voltage:	100V (not for power applications)	Approvals:	RoHS
Test voltage:	700V		

Part number	Construction	Stranding	Jacket material	Jacket color	Approvals	Fast connect	PoE	Nominal outer diameter		Approx. weight lbs/mft	SKINTOP® MS-SC PG thread
								in	mm		
CAT.6A											
2170464	22 AWG/4pr	solid	PVC	green	—	no	yes	0.343	8.7	66	53112220
2170465	22 AWG/4pr	solid	PUR	green	—	no	yes	0.343	8.7	61	53112220
2170466	22 AWG/4pr	solid	halogen-free	green	—	no	yes	0.343	8.7	67	53112220
CAT.7											
2170474	22 AWG/4pr	solid	PVC	green	—	no	yes	0.343	8.7	66	53112220
2170475	22 AWG/4pr	solid	PUR	green	—	no	yes	0.343	8.7	61	53112220
2170476	22 AWG/4pr	solid	halogen-free	green	—	no	yes	0.343	8.7	67	53112220

EtherCAT® is a registered trademark of Beckhoff Automation GmbH.
 Recommended SKINTOP® assumes minimal OD variance. Additional configurations are available; please see our SKINTOP® section.
 If not otherwise specified, all values relating to the product are nominal values. Photographs are not to scale and are not true representations of the products in question.