


**Datasheet**
**Brass Pneumatic Quick Connect Coupling, Hose Barb, 4mm Hose Barb Connection**

RS Stock number 667-1813

**021** [Quick Release Pneumatic Couplings]

**Interchangeability**

 RECTUS 2 RECTUS 90,  
CAMOZZI

**Temperature Range**

-20 C +100 C ( -4 F +212 F )

**Working Pressure**

0 - 35 bar ( 0 - 500 PSI )

**Flow Capacity**

NW - 5

**Standard version**

 Balls : Stainless Steel  
Buna ( N )

**Options**

F-Straight Through flow

K - Chrome Plated

N - Nickel Plated

T - NPTF Thread

V - Viton Seal

**Material**

Coupler Body : Brass Nickel Plated

Sleeve : Steel Body : Brass Nickel Plated

Valve : Brass


Springs : Stainless Steel

Locking O-Ring : Stainless Steel


Balls : Stainless Steel

Seals : Buna ( N )






Plug : Brass Nickel Plated


**Couplers and Plugs**

**Male Thread Coupler**

Connection	Order No	SW	Length	Dia
g 1/8"	021 EG 10	14	36	16
G 1/4"	021 EG 13	17	38	16
G 3/8"	021 EG 17	19	38	16
M 12X1,5	021 EG 12	17	39	16
M 14X1,5	021 EG 14	17	39	16



**Female Thread Coupler**

G 1/8"	021 DG 10	14	36	16
G 1/4"	021 DG 13	17	38	16
G 3/8"	021 DG 17	19	38	16
M 12X1,5	021 DG 12	17	38	16
M 14X1,5	021 DG 14	17	38	16


 Standart Hose Barb Coupler	4mm 1/6"	021 HG 04	14	46	16
	6mm 1/4"	021 HG 06	14	46	16
	8mm 5/16"	021 HG 08	14	46	16
	9mm 5/14"	021 HG 09	14	46	16
	10mm 3/8"	021 HG 10	14	46	16
	6mm Parker 1/4"	021 HG 06 P	14	46	16
 Plastic Hose Coupler	4X6mm-M10X1	021 PG 04	14	41	16
	6X8mm-M10X1	021 PG 06	14	41	16
 Plastic Hose Coupler With Spring	4X6mm-M10X1	021 SG 04	14	53	16
	6X8mm-M12X1	021 SG 06	17	53	16
 Standart Hose Barb Plug	4mm-M10X1	021 MG 04	14	60	16
	5mm-M12X1	021 MG 05	14	60	16
	6mm-M12X1	021 MG 06	17	60	16
	6mm-M12X1	021 MG 08	17	60	16
 Plastic Hose Plug	4X6mm-M10X1	021 YG 04	14	125	16
	6X8mm-M10X1	021 YG 06	14	130	16


**Male Thread Plug**


4mm 1/6"	021 HU 04	32	9
5mm 1/5"	021 HU 05	32	9
6mm 1/4"	021 HU 06	32	9
8mm 5/16"	021 HU 08	32	9
9mm 5/14	021 HU 09	33	12
10mm 3/8"	021 HU 10	33	12
6mm Parker	021 HU 06 P	36	16


**Female Thread Plug**




4X6 mm- M10X1	021 PU 04	32	10
6X8 mm- M12X1	021 PU 06	32	12


**Male Thread Plug**

4X6mm- M10X1	021 SU 04	14	44
6X8mm- M12X1	021 SU 06	17	44


**Male Thread Plug**

4 mm- M10X1	021 MU 04	14	50
5 mm- M10X1	021 MU 05	14	50
6 mm- M12X1	021 MU 06	14	50
8 mm- M12X1	021 MU 08	14	50
9 mm- M12X1	021 MU 09	14	50
10 mm- M14X1	021 MU 10	17	50


**Male Thread Plug**
**4X6mm-**
**M10X1  
6X8 mm-  
M10X1**
**021 YU 04**
**115**
**021 YU 06**
**120**

**Male Thread Plug**
**G1/8"**
**021 EU 10**
**14**
**25**
**G1/4"**
**021 EU 13**
**17**
**28**
**G3/8"**
**021 EU 17**
**19**
**28**
**M 10X1**
**021 EU 10 M**
**14**
**26**
**M 12X1,5**
**021 EU 12**
**17**
**28**
**M 14X1,5**
**021 EU 14**
**17**
**28**

**Male Thread Plug**
**G 1/8"**
**021 DU 10**
**14**
**25**
**G 1/4"**
**021 DU 13**
**17**
**26**
**G 3/8"**
**021 DU 17**
**19**
**27**
**M 10X1**
**021 DU 10 M**
**14**
**27**
**M 12X1,5**
**021 DU 12**
**17**
**27**
**M 14X1,5**
**021 DU 14**
**17**
**27**