

PRODUCT-DETAILS

BER38-4

BER38-4 Connection Set for Reversing Contactors





| EAN | 3471523130784 |
|-----------------------|-----------------|
| Product ID | 1SBN082311R1000 |
| Extended Product Type | BER38-4 |

Catalog Description BER38-4 Connection Set for Reversing Contactors

Connection sets for reversing contactors

Long Description

The BER and BEM connection sets are used to connect the main poles of two 3-pole contactors mounted side by side. The BER connection sets are made up of 1 upstream and 1 downstream connections. The BEM connection sets are made up of 3 upstream and 3 downstream connections.

BER and BEM connection sets are insulated and made of solid copper bars.

Ordering

| E-Number (Sweden) | 3211442 |
|------------------------|---------------|
| EAN | 3471523130784 |
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85389099 |

Dimensions

| Product Net Width | 87.2 mm |
|----------------------------|----------|
| Product Net Height | 36.5 mm |
| Product Net Depth / Length | 23.05 mm |
| Product Net Weight | 0.1 kg |

Screw Terminals

| Container Information | |
|---------------------------------|-----------------|
| Package Level 1 Units | bag 1 piece |
| Package Level 1 Width | 120 mm |
| Package Level 1 Height | 22 mm |
| Package Level 1 Depth / Length | 150 mm |
| Package Level 1 Gross Weight | 0.1 kg |
| Package Level 1 EAN | 3471523130784 |
| Package Level 2 Units | crate 100 piece |
| Package Level 2 Gross Weight | 10 kg |
| Package Level 3 Units | 504 piece |

Environmental

Terminal Type

| RoHS Status | Following EU Directive 2011/65/EU |
|-------------|-----------------------------------|
|-------------|-----------------------------------|

Additional Information

| Medium Description | BER38-4 Connection Set for Reversing Contactors is used to easily connect |
|--------------------|---|
| | the main poles of two 3-pole AF26AF38 mounted side by side. The BER connection sets are made up of 1 upstream and 1 downstream connections. BER is insulated and made of solid copper bars. |
| Order Multiple | 1 piece |
| Product Main Type | Accessories for Block Contactors |
| Product Name | Connection Set |
| RoHS Date | 20171115 |
| Suitable For | AF26 |
| | AF30 |
| | ΛE20 |

Certificates and Declarations (Document Number)

| Declaration of Conformity - CE | 1SBD250021U1000 |
|-----------------------------------|-----------------------------|
| Environmental Information | 1SBD250141E1000 |
| GOST Certificate | GOST_POCCFR.ME77.B07175.pdf |
| Instructions and Manuals | 1SBC101029M6801 |
| RINA Certificate | RINA_ELE084013XG |
| RoHS Information | 1SBD250021U1000 |
| UL Certificate | UL_20120730-E312527 |
| UL Listing Card | UL_E312527 |

| Classifications | |
|-----------------|--|
| ETIM 4 | EC002498 - Accessories for low-voltage switch technology |
| ETIM 5 | EC002498 - Accessories for low-voltage switch technology |
| ETIM 6 | EC002498 - Accessories for low-voltage switch technology |
| ETIM 7 | EC002498 - Accessories for low-voltage switch technology |
| UNSPSC | 39120000 |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

BER38-4 3

Categories

 $\textbf{Low Voltage Products and Systems} \rightarrow \textbf{Control Products} \rightarrow \textbf{Contactors} \rightarrow \textbf{Block Contactors Accessories}$



