

PK7GTA

LOAD CENTER EQUIPMENT GROUND BAR ASSY

Product availability: Stock - Normally stocked in distribution facility



Main

Product line	QO
Product type	Load Center Grounding Bar Assembly

Complementary

Number of connectors	7
Wire size	AWG 14...AWG 4 copper AWG 12...AWG 4 aluminium
Provided equipment	2 screw
Bar length	2.87 in (73 mm)
Maximum length of segment	1.26 in (32 mm)
Device mounting	Direct mounting back of enclosure
Tightening torque	2.26 N.M (20 lbf.in) AWG 14...AWG 10) 2.26 N.M (20 lbf.in) AWG 12...AWG 10) 2.82 N.M (25 lbf.in) AWG 8) 3.95 N.M (35 lbf.in) AWG 6...AWG 4) 2.82 N.M (25 lbf.in) AWG 14...AWG 12) 2.82 N.m (25 lbf.in) AWG 12...AWG 10)

Ordering and shipping details

Category	00102 - QO LC ACCESSORIES
Discount Schedule	DE3A
GTIN	00785901026372
Package weight(Lbs)	0.05 kg (0.1 lb(US))
Returnability	Yes
Country of origin	US

Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds which is known to the State of California to cause Carcinogen & Reproductive harm. For more information go to www.p65warnings.ca.gov
REACH Regulation	REACH Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS Declaration
Circularity Profile	No need of specific recycling operations

Contractual warranty

Warranty	18 months
----------	-----------

Approximate Dimensions

