# SSRHD10

## heat sink for panel mounting relay



Product availability: Non-Stock - Not normally stocked in distribution facility



#### Main

Range of product	Harmony Relay
Accessory / separate part type	Heat sink

### Complementary

Product compatibility	1 solid state relay SSR panel
Thermal resitance	1 °C/W
Mounting support	DIN rail
Material	Aluminium
Surface finish	Black anodized
Surface and useful surface	220.88 in² (1425 cm²)
Number of mounting holes	6 UNC 8-32
Tightening torque	15.0519.47 lbf.in (1.72.2 N.m)
Sale per indivisible quantity	1
Width	3.00 in (76.2 mm)
Height	5.20 in (132.1 mm)
Depth	2.37 in (60.2 mm)
Product weight	1.39 lb(US) (0.630 kg)

#### Ordering and shipping details

<u> </u>		
Category	22375 - INTERFACE MODULE(ABA,R,S)	
Discount Schedule	CP2	
GTIN	00785901845751	
Package weight(Lbs)	0.59 kg (1.29 lb(US))	
Returnability	No	
Country of origin	CN	

### Offer Sustainability

Sustainable offer status	Green Premium product	
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds and Di-isodecyl phthalate (DIDP) which is known to the State of California to cause Carcinogen and Reproductive harm. For more information go to www.p65warnings.ca.gov	
REACh Regulation	☑ REACh Declaration	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration	
Toxic heavy metal free	Yes	
Mercury free	Yes	
RoHS exemption information	₽¥Yes	

China RoHS Regulation	China RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

# SSRHD10

### **Dimensions**

