

Product availability: Stock - Normally stocked in distribution facility



Main

| | |
|---------|-------------------------|
| Product | Surge protection device |
| Range | Square D |

Complementary

| | |
|---------------------------|-----------------------------------|
| Surge Current | 40 kA per phase |
| Voltage Rating | 600Y/347 V AC |
| Number of Phases | 3 phase |
| Wiring Configuration | 4-wire |
| MCOV | 510 V |
| Nominal Discharge Current | 10 kA |
| SCCR | 200 kA |
| Local Signalling | Status LED green normal operation |
| Height | 76.20 mm (3 in) |
| Width | 91.44 mm (3.6 in) |
| Depth | 86.36 mm (3.4 in) |

Environment

| | |
|--------------------|--|
| Enclosure Rating | NEMA 4X |
| Enclosure Material | Black plastic |
| Standards | UL 1449:ed. 4 type I NEC 285 type I CSA C22.2 No 8 |
| Ambient Operating | 149 °F (65 °C) |

Ordering and shipping details

| | |
|---------------------|-------------------------------|
| Category | 08462 - SURGE PROTECTION SDSA |
| Discount Schedule | DE1B |
| GTIN | 00785901210887 |
| Package weight(Lbs) | 0.35 kg (0.78 lb(US)) |
| Returnability | Yes |
| Country of origin | MX |

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Offer Sustainability

| | |
|----------------------------|---|
| California proposition 65 | WARNING: This product can expose you to chemicals including: DINP and DIDP which is known to the State of California to cause Carcinogen and Reproductive harm. For more information go to www.p65warnings.ca.gov |
| REACH Regulation | REACH Declaration |
| REACH free of SVHC | Yes |
| EU RoHS Directive | Compliant EU RoHS Declaration |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| China RoHS Regulation | China RoHS Declaration |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Approximate Dimensions

