## 10192000

# **DATA SHEET**

Valid from: 18.09.2018

EPIC® H-BE 10 SS / H-BE 10 BS



## Description

- Standard inserts with screw termination, crimp termination, cage clamp termination and Push-In termination
- The EPIC® H-BE series is suitable for applications that require a reliable connection when working with high voltages and currents
- Use for railway applications -Brand protection in rail vehicles: test according to EN 45545-2. Requirement sentences R22 and R23. Hazard levels HL1, HL2 and HL3.
- UL tested for applications in the control cabinet in accordance with UL 508 / UL 2237



#### **General Characteristics**

Series H-BE 10

Version Male/Female(Article 10193000)

Wire Protection Yes
Number of Contacts 10 + P

Termination Methods Screw termination: 0.5 - 2.5 mm<sup>2</sup>

Protection (DIN EN 60529) IP65
Protection (NEMA 250, UL50E) 4, 12

Temperature Range -40°C to +100°C, short-term up to +125°C

#### **Mechanical Characteristics**

Cycle of mechanical operation 500

#### **Electrical Characteristics**

500 V Rated Voltage, IEC Rated Voltage, UL 600 V Rated Voltage, CSA 600 V Rated Impulse Voltage 6 kV Rated Current, IEC 16 A Rated Current, UL 16 A Rated Current, CSA 16 A Contact Resistance < 2 mOhm

Degree of Soiling 3

#### Materials and Surfaces

Contacts Copper alloy, hard silver-plated

Insulating Body PC Flammability Class according to UL 94 V0

## **Approvals**

UL-Approval, E-File-Number E75770 VDE-Approval, VDE-REG.-Nr. B437

#### Standard

Safety Standard IEC 61984, UL 1977

Creator: MANA2/PDP	Document: DB10192000EN	Page 1 of 2
Released: IVSE1/PDP	Version: 04	

MAST1 / 18.09.2018 / freigegeben

### 10192000

# **DATA SHEET**


Valid from: 18.09.2018


EPIC® H-BE 10 SS / H-BE 10 BS




## **Technical Drawings**

















Industrial machinery and plant engineering



Robust



Temperature-resistant

## Info

Multifunctional insert for versatile appliactions Screw, crimp, cage clamp and Push-In version - freely combinable

## **Application range**

Mechanical engineering Light & sound technology Plastics industry

#### Remark

Photographs are not to scale and do not represent detailed images of the respective products.

Creator: MANA2/PDP	Document: DB10192000EN	Page 2 of 2
Released: IVSE1/PDP	Version: 04	