

SETRON, cylindrical fuse holder, 8x32 mm, 1P+N, In: 20 A, Un AC: 400 V, LED signal detector



| Model                                   |                         |
|-----------------------------------------|-------------------------|
| Product brand name                      | SETRON                  |
| Product designation                     | Cylindrical fuse holder |
| Design of the product                   | LED signal detector     |
| General technical data                  |                         |
| Number of poles                         | 2                       |
| Number of poles / Note                  | 1P+N                    |
| Size of fuse link                       | 8x32 mm                 |
| Supply voltage                          |                         |
| Operating current / at AC / rated value | 20 A                    |
| Operating voltage                       | 400 V                   |
| • at AC / rated value                   |                         |
| Protection class IP                     | IP20                    |
| Mechanical Design                       |                         |
| Height                                  | 81 mm                   |
| Width                                   | 18 mm                   |
| Depth                                   | 64 mm                   |
| Net weight                              | 92 g                    |

## Certificates

### Reference code

- acc. to DIN EN 61346-2
- acc. to DIN EN 81346-2

F  
F

## Declaration of Conformity



EG-Konf.

## Further information

### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW7354>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NW7354>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NW7354](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7354)

### CAX-Online-Generator

<http://www.siemens.com/cax>

### Tender specifications

<http://www.siemens.com/specifications>





