

Connection terminal 35 mm², 480/277V for pin busbar UL 489 can be cut



Model	
Product brand name	SETRON
Product designation	Connecting terminal
Operating current / at AC / rated value	160 A
Operating voltage / at AC / rated value	1 000 V
Connections	
Tightening torque	
• minimum	4 N·m
• maximum	5.5 N·m
Mechanical Design	
Height	31.1 mm
Width	16.2 mm
Depth	25.7 mm
Length	84.7 mm
Net weight	35.5 g
Certificates	



Further information

Information- and Downloadcenter (Catalogs, Brochures,...)<http://www.siemens.com/lowvoltage/catalogs>**Industry Mall (Online ordering system)**<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3770-3HG>**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**<https://support.industry.siemens.com/cs/ww/en/ps/5ST3770-3HG>**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3770-3HG**CAX-Online-Generator**<http://www.siemens.com/cax>**Tender specifications**<http://www.siemens.com/specifications>

