


Pin busbar, can be cut 18 mm², 1-phase+auxiliary switch 1016mm ,
according to UL 489, 480/277V for LS 5SJ4...-HG



Model	
Product brand name	SENTRON
Product designation	Pin busbar
Design of the product	Can be cut to length
General technical data	
Phase number	1
Current	
Continuous current / rated value	80 A
Product details	
Product feature / insulated	Yes
Connections	
Type of electrical connection	Pin
Mechanical Design	
Width	60 mm
Length	1 016 mm
Net weight	620.88 g

Certificates

General Product Approval



Declaration of Conformity



Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3703-3HG>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3703-3HG>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3703-3HG

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

