

Device adapter S00/S0, 25A, for 60 mm busbar system, 45x 200 mm long special lines welded-on AWG 12, 99 mm long spacer enclosed  
Mounting rail screwed on



| Model                                   |                |
|-----------------------------------------|----------------|
| Product brand name                      | SENTRON        |
| Product designation                     | Device adapter |
| Design of the product                   | Accessories    |
| Design of support rail                  | Support rails  |
| Operating current / at AC / rated value | 25 A           |
| Operating voltage / at AC / rated value | 690 V          |
| Suitability for use                     | S00            |

| Connections                                                                    |        |
|--------------------------------------------------------------------------------|--------|
| Type of connectable conductor cross-sections / for copper conductor / stranded | AWG 12 |

| Mechanical Design               |        |
|---------------------------------|--------|
| Width                           | 45 mm  |
| Length                          | 200 mm |
| Busbar center-to-center spacing | 60 mm  |
| Net weight                      | 308 g  |

| Certificates |  |
|--------------|--|
|--------------|--|

| General Product Approval | Declaration of Conformity |
|--------------------------|---------------------------|
|--------------------------|---------------------------|



[Miscellaneous](#)

| Test Certificates | Shipping Approval |
|-------------------|-------------------|
|-------------------|-------------------|

[Special Test Certificate](#)

[Type Test Certificates/Test Report](#)

[Miscellaneous](#)



| Shipping Approval | other | Railway |
|-------------------|-------|---------|
|-------------------|-------|---------|



[Miscellaneous](#)

[Vibration and Shock](#)

#### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1251-5DS10>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/8US1251-5DS10>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8US1251-5DS10](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1251-5DS10)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



