

Connecting comb 16-pole



Product brand name	SIRIUS
Product category	Connecting combs
Product designation	Connecting comb
Design of the product	For linking the same potentials, current carrying capacity for infeed max. 6 A/16-pole

General technical data	
Display version LED	No
Product component	No
• semi-conductor output	
Reference code acc. to DIN EN 81346-2	X
Product component Plug-in socket	No

Connections/ Terminals	
Product function	No
• removable terminal	

Installation/ mounting/ dimensions	
Height	3.3 mm
Width	99 mm
Depth	11 mm

Ambient conditions

Ambient temperature

- | | |
|--------------------|----------------|
| • during operation | -25 ... +60 °C |
| • during storage | -40 ... +85 °C |
| • during transport | -40 ... +85 °C |

Certificates/ approvals

General Product Approval	EMC	Declaration of Conformity	Marine / Shipping
 CSA		 RCM	 EG-Konf.
		Miscellaneous	 DNVGL.COM/AF

other

[Confirmation](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RQ3901-0D>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RQ3901-0D>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RQ3901-0D>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RQ3901-0D&lang=en



last modified:

04/11/2020