

## 6 ft USB to DB25 Parallel Printer Adapter Cable - M/F

Product ID: ICUSB1284D25



The ICUSB1284D25 6 ft USB to DB25 Parallel Printer Adapter Cable turns an available USB port on a host PC into a DB25 Female Parallel port - allowing you to connect a DB25 printer to the computer as if the necessary parallel port was built-on.

A cost-effective and reliable solution, the USB to DB25 adapter saves the expense of replacing a parallel printer for the sake of USB capability.

Backed by a StarTech.com 2-year warranty and free lifetime technical support .

### Certifications, Reports and Compatibility



### Applications

- Allows you to quickly add a parallel port to your computer for use with printers with DB25 connectors
- Ideal solution for notebooks or desktops without a Parallel port

### Features

- Fully Plug & Play for easy installation
- USB bus-powered operation, no external power adapter required
- Eliminates the need for manual or automatic parallel switch boxes

<b>Hardware</b>	Warranty	2 Years
	Bus Type	USB 2.0
	Chipset ID	Prolific - PL2305
	Interface	Parallel
	Ports	1
<b>Performance</b>	Maximum Data Transfer Rate	1.5Mbps
<b>Connector(s)</b>	Connector A	1 - USB Type-A (4 pin) USB 2.0 Male
	Connector B	1 - DB-25 (25 pin, D-Sub) Female
<b>Software</b>	OS Compatibility	Windows® 98SE, ME, 2000, XP, Vista, 7, 8, 8.1, 10 Windows Server® 2000, 2003, 2008 R2, 2012, 2012 R2, 2016, 2019 Mac OS X® 10.6 to 10.15 Linux 2.6.x to 4.11.x <i>LTS Versions only</i>
<b>Environmental</b>	Humidity	0~80% RH non-condensing
	Operating Temperature	5°C to 40°C (41°F to 140°F)
	Storage Temperature	-20°C to 70°C (-4°F to 158°F)
<b>Physical Characteristics</b>	Cable Length	6 ft [1.8 m]
	Product Height	0.000
	Product Length	6 ft [1.8 m]
	Product Width	0.000
	Weight of Product	3.9 oz [110 g]
<b>Packaging Information</b>	Package Height	0.9 in [22 mm]
	Package Length	8.7 in [22 cm]
	Package Width	7.9 in [20 cm]
	Shipping (Package) Weight	4.2 oz [119 g]
<b>What's in the Box</b>	Included in Package	1 - USB to Parallel Adapter Cable

Product appearance and specifications are subject to change without notice.