

# 1U Server Rack Rails with Adjustable Mounting Depth

Product ID: UNIRAILS1UB



These 1U server rack rails let you mount devices, such as servers or networking equipment, that did not come with rack rails into your 19" 4 post rack. The adjustable server rack rails are also a great solution for mounting OEM equipment such as Dell™, IBM®, HP® or Apple servers.

## Universal design mounts to almost any 19" server rack

Adhering to the EIA/ECA-310 standard for 19 inch server rack equipment and accessories, these mounting rails are compatible with most 19 inch server racks. The depth is adjustable for a variety of rack sizes and configurations up to a maximum depth of 36 inches.

### **Maximum durability**

To ensure your equipment is secure, these universal rack mount rails feature cold-rolled steel construction. The durable design can support a weight load of up to 200 lbs (90 kg).





#### The Choice of IT Pros Since 1985

StarTech.com conducts thorough compatibility and performance testing on all our products to ensure we are meeting or exceeding industry standards and providing high-quality products to IT Professionals. Our local StarTech.com Technical Advisors have broad product expertise and work directly with our StarTech.com Engineers to provide support for our customers both pre and post-sales.

The UNIRAILS1UB is backed by a lifetime StarTech.com warranty with free technical support.



#### **Data Sheet**

# Certifications, Reports and Compatibility





#### **Applications**

- Mount rackmount equipment that is missing its original rails
- Use to rackmount OEM equipment such as Dell, IBM, HP or Apple servers that no longer have rack rails available for purchase
- Securely mount non-rackmount equipment into any 19" EIA/ECA-310 server rack

#### **Features**

- Fits most 4 post 19" server racks
- Mount equipment that is missing or did not include rack rails
- Keep your devices running cool with an open frame design that doesn't impede airflow



# **Data Sheet**

HardwareIndustry StandardsEIA-310-DU Height1UPerformanceWeight Capacity (Stationary)200.5 lb [90.7 kg]Physical CharacteristicsColorBlackMaximum Mounting Depth36 in [91.4 cm]Minimum Mounting Depth24 in [61 cm]Product Height1.8 in [45 mm]Product Length24.7 in [628 mm]Product Width3.1 in [80 mm]Weight of Product122.8 oz [3480 g]Packaging InformationPackage Height3.5 in [90 mm]Package Width8.7 in [220 mm]Shipping (Package) Weight140.5 oz [3980 g]		Warranty	Lifetime
Physical Color Black Characteristics Maximum Mounting Depth 36 in [91.4 cm] Minimum Mounting Depth 24 in [61 cm] Product Height 1.8 in [45 mm] Product Length 24.7 in [628 mm] Product Width 3.1 in [80 mm] Weight of Product 122.8 oz [3480 g]  Packaging Information Package Length 25.2 in [640 mm] Package Width 8.7 in [220 mm]	Hardware	Industry Standards	EIA-310-D
Physical Characteristics  Maximum Mounting Depth 36 in [91.4 cm] Minimum Mounting Depth 24 in [61 cm] Product Height 1.8 in [45 mm] Product Length 24.7 in [628 mm] Product Width 3.1 in [80 mm] Weight of Product 122.8 oz [3480 g]  Packaging Information  Package Length 25.2 in [640 mm] Package Width 8.7 in [220 mm]		U Height	1U
Maximum Mounting Depth 36 in [91.4 cm] Minimum Mounting Depth 24 in [61 cm] Product Height 1.8 in [45 mm] Product Length 24.7 in [628 mm] Product Width 3.1 in [80 mm] Weight of Product 122.8 oz [3480 g]  Packaging Information Package Length 25.2 in [640 mm] Package Width 8.7 in [220 mm]	Performance	Weight Capacity (Stationary)	200.5 lb [90.7 kg]
Minimum Mounting Depth 24 in [61 cm] Product Height 1.8 in [45 mm] Product Length 24.7 in [628 mm] Product Width 3.1 in [80 mm] Weight of Product 122.8 oz [3480 g]  Packaging Information Package Height 25.2 in [640 mm] Package Width 8.7 in [220 mm]	=	Color	Black
Product Height 1.8 in [45 mm] Product Length 24.7 in [628 mm] Product Width 3.1 in [80 mm] Weight of Product 122.8 oz [3480 g]  Packaging Information Package Length 25.2 in [640 mm] Package Width 8.7 in [220 mm]		Maximum Mounting Depth	36 in [91.4 cm]
Product Length 24.7 in [628 mm]  Product Width 3.1 in [80 mm]  Weight of Product 122.8 oz [3480 g]  Packaging Information  Package Height 3.5 in [90 mm]  Package Length 25.2 in [640 mm]  Package Width 8.7 in [220 mm]		Minimum Mounting Depth	24 in [61 cm]
Product Width 3.1 in [80 mm] Weight of Product 122.8 oz [3480 g]  Packaging Information Package Height 25.2 in [640 mm] Package Width 8.7 in [220 mm]		Product Height	1.8 in [45 mm]
Packaging Information         Package Height         3.5 in [90 mm]           Package Length         25.2 in [640 mm]           Package Width         8.7 in [220 mm]		Product Length	24.7 in [628 mm]
Packaging Information  Package Height 3.5 in [90 mm]  Package Length 25.2 in [640 mm]  Package Width 8.7 in [220 mm]		Product Width	3.1 in [80 mm]
Package Length 25.2 in [640 mm] Package Width 8.7 in [220 mm]		Weight of Product	122.8 oz [3480 g]
Package Width 8.7 in [220 mm]		Package Height	3.5 in [90 mm]
		Package Length	25.2 in [640 mm]
Shipping (Package) Weight 140.5 oz [3980 g]		Package Width	8.7 in [220 mm]
		Shipping (Package) Weight	140.5 oz [3980 g]
What's in the Box Included in Package 2 - Universal Rack Rails	What's in the Box	Included in Package	2 - Universal Rack Rails
8 - M6-12 Screws			8 - M6-12 Screws
8 - M6 Cage Nuts			8 - M6 Cage Nuts
8 - M6 Plastic Cup Washers			8 - M6 Plastic Cup Washers
1 - Quick Start Guide			1 - Quick Start Guide

Product appearance and specifications are subject to change without notice.