

## 350 Watt ATX12V 2.01 Computer PC Power Supply w/ 20 & 24 Pin Connector

Product ID: ATX2POWER350



This high quality 350 Watt ATX12V 2.01 power supply offers a reliable PC power solution, with support for modern dual-core CPU designs as well as PCI Express and SATA device connections.

Compliant with ATX12V 2.01 revision standards, the power supply offers dual 12V power rails, and ensures broad compatibility with a 20/24 pin motherboard connection.

Designed to provide dependable, long-lasting power to your hard working AMD or Intel CPU based system, the 350 Watt PSU is backed by StarTech.com's 2 year warranty and free lifetime technical support.

### Certifications, Reports and Compatibility



### Applications

- Dual 12V rails are designed for demanding components.
- Offers extra current required by cutting-edge CPUs and peripherals
- The perfect choice for new system builds and upgrades, including dual core CPU (Pentium D, Core 2 Duo, Athlon 64 X2) system designs

### Features

- ATX12V version 2.01 compliant
- EMI/RFI power filtration system provides low noise/ripple for super clean and stable power to all system components
- High flow fan provides efficient cooling for the system and the power supply
- High quality connectors provide minimal resistance and enhanced electric conductivity
- Industry's leading safety approval ratings
- Our power supplies are compatible with all leading processors including Pentium 4
- PCI Express Connector for next generation video cards
- Quad Protection: Short Circuit Protection, Over Power Protection, Over Voltage Protection and No Load Protection
- Rear power cut off switch
- Sleeve Bearing provides increased reliability, air flow and longer life

<b>Hardware</b>	Warranty	2 Years	
	Fan Bearing Type	Sleeve Bearing	
	Fans	1 - 80 mm	
<b>Performance</b>	Air Flow Rate	32.3 CFM	
	Efficiency Rating	68% (Typical Load)	
	MTBF	100,000 Hrs	
	Noise Level	27.4 dBa	
	Output Power	350W	
	Power Factor Correction	No	
<b>Connector(s)</b>	Output Connectors	1 - ATX 12V P4 Power (4 pin, v 2.x) Male 1 - ATX Split Power (20+4 pin, v 2.x) Male 1 - PCI Express Power (6 pin, v 1.x) Female 2 - SATA Power (15 pin) Receptacle 2 - SP4 (4 pin, Small Drive Power) Female 4 - LP4 (4 pin; Large Drive Power) Female	
	<b>Power</b>	Current +12.0V1 (A)	10A
		Current +12.0V2 (A)	15A
		Current +3.3V (A)	22A
		Current +5.0V (A)	21A
		Current +5.0Vsb (A)	2.5A
Current -12.0V (A)		0.8A	
Input Voltage		115 ~ 230	
Input Voltage Frequency		50~60 Hz	
Max Inrush Current		50A	
<b>Environmental</b>	Operating Temperature	0° ~ 50°	
	Storage Temperature	-20° ~ 80°	
<b>Physical Characteristics</b>	Product Height	3.3 in [85 mm]	
	Product Length	5.5 in [14 cm]	
	Product Width	5.9 in [15 cm]	
	Weight of Product	3.4 lb [1.6 kg]	

<b>Packaging Information</b>	Package Height	8 in [20.3 cm]
	Package Length	9.3 in [23.5 cm]
	Package Width	3.9 in [10 cm]
	Shipping (Package) Weight	4.3 lb [1.9 kg]
<b>What's in the Box</b>	Included in Package	1 - 350W ATX Power Supply
		1 - Power Cord (NA)
		1 - Instruction Manual

Product appearance and specifications are subject to change without notice.