

# Serial DB9 RS232 Extender over Cat 5 - Up to 3300 ft (1000 meters)

Product ID: RS232EXTC1



The RS232EXTC1 Serial over Cat 5 Extender allows you to increase the distance of your RS232 Serial connection by up to 1000 meters (3300 feet), giving you the ability to connect serial peripheral devices up to a kilometer away from your system - an incredible 65x greater than normal RS232 serial cable length restrictions would permit.

The Extender is a cost-effective serial extension solution and completely hardware-based, eliminating the need to install additional software, allowing for a completely plug and play installation. The hardware can be setup in minutes, using existing or new Cat 5 or better Ethernet cabling.

Perfect for use in industrial monitoring and control, POS, security, medical, and traffic flow applications, the RS232 Serial over Cat 5 extender maintains the RS232 standard with support for data transfer rates of up to 230 Kbps.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

### Certifications, Reports and Compatibility



### Applications

- Industrial applications include controlling CNC machinery, polling bar code scanner data, administering process control equipment, weigh stations, and other manufacturing applications
- Monitor and control medical equipment, security keypads/card scanners, point of sale equipment and remote sensor data, and various other healthcare related serial communications
- Extend connectivity to Point of Sale card swipe devices, bar code scanners, scales, receipt printers or cash register displays
- Remotely poll data from access keypads, card scanners, camera installations or home security systems
- Remote sensor monitoring for traffic flow management (air traffic control, expressway flow)

### Features

- Extend RS232 up to 1000m / 3300ft
- Data transfer rates of up to 230Kbps
- Compatible with all RS232 communications
- Employ existing Cat 5, 5e, 6 or better Ethernet infrastructure to remotely connect serial devices
- Supports full-duplex data communication
- Compact design
- No driver software required for easy Plug-and-Play installation

<b>Hardware</b>	Warranty	2 Years
	Cabling	Cat 5 UTP
	Ports	1
<b>Performance</b>	Max Distance	1 km (0.6 mi)
	Maximum Data Transfer Rate	230 Kbps
<b>Connector(s)</b>	Local Unit Connectors	1 - DB-9 (9 pin, D-Sub) Female
		1 - RJ-45 Female
	Remote Unit Connectors	1 - DB-9 (9 pin, D-Sub) Male
		1 - RJ-45 Female
<b>Software</b>	OS Compatibility	OS independent
<b>Special Notes / Requirements</b>	System and Cable Requirements	Cat5 RJ45 cabling required
<b>Power</b>	Center Tip Polarity	Positive
	Input Current	55mA
	Input Voltage	100 - 240 AC
	Output Current	0.3A
	Output Voltage	9 DC
	Plug Type	M
	Power Consumption (In Watts)	2.7
	Power Source	2 AC Adapters Included
<b>Environmental</b>	Humidity	0% to 95%
	Operating Temperature	0°C to 70°C (32°F to 158°F)
	Storage Temperature	0°C to 85°C (32°F to 185°F)
<b>Physical Characteristics</b>	Color	Silver
	Enclosure Type	Steel
	Product Height	0.9 in [2.2 cm]
	Product Length	3.6 in [92 mm]
	Product Width	1.3 in [34 mm]
	Weight of Product	9.6 oz [273 g]
<b>Packaging Information</b>	Package Height	2.4 in [60 mm]
	Package Length	5.6 in [14.2 cm]

	Package Width	12.5 in [31.8 cm]
	Shipping (Package) Weight	23.7 oz [672 g]
<b>What's in the Box</b>	Included in Package	1 - RS232 Extender Local Unit 1 - RS232 Extender Remote Unit 1 - 20cm Null Modem cable (DB-9 Male to Male) 2 - Power Adapter 1 - User Manual

Product appearance and specifications are subject to change without notice.