

HP AJ716B Compatible SFP+ Transceiver Module - 8GFC

Product ID: AJ716BST



The AJ716BST is an HP AJ716B compatible fiber transceiver module that has been designed, programmed and tested to work with HP® brand switches and routers. It delivers dependable 8Gb fiber channel connectivity over fiber cable, for 8GFC compliant networks, with a maximum distance of up to 300 m (984 ft.).

Technical Specifications:

• Wavelength: 850 nm

• Maximum Data Transfer Rate: 8 Gbps

• **Type:** Multimode Fiber

• Connection Type: LC Connector

• Maximum Transfer Distance: 300 m (984 ft.)

• **MTBF:** 1,967,709 hours

Power Consumption: Less than 1.2 Watts
Digital Diagnostics Monitoring (DDM): Yes



Data Sheet

This SFP+ fiber module is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.

StarTech.com SFPs

All StarTech.com SFP & SFP+ transceiver modules are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of SFP modules and direct-attach SFP cables, providing the convenience and reliability you need to ensure dependable network performance.



Data Sheet

Certifications, Reports and Compatibility













Applications

- Replacing defective or damaged SFP+ modules in HP switches and routers
- Expand your network to remote segments

Features

- 100% compatibility with HP AJ716B guaranteed
- StarTech.com SFP modules are backed by a lifetime warranty
- Meets or exceeds OEM specifications and Multi-Source Agreement (MSA) industry standards
- Low power consumption of less than 1.2 W
- Hot-swappable with fiber-optic modules



Data Sheet

	Material	Aluminum
What's in the Box	Included in Package	1 - SFP+ transceiver
	Shipping (Package) Weight	1.6 oz [46 g]
	Package Width	4.6 in [11.8 cm]
	Package Length	3.7 in [93 mm]
Packaging Information	Package Height	1.3 in [33 mm]
	Weight of Product	0.6 oz [18 g]
	Product Width	0.5 in [13.9 mm]
	Product Length	2.3 in [58.4 mm]
	Product Height	0.5 in [12.6 mm]
Physical Characteristics	Color	Silver
	Storage Temperature	-40°C to 85°C (-40°F to 185°F)
	Operating Temperature	0°C to 70°C (32°F to 158°F)
Environmental	Humidity	5~95% RH
Power	Power Consumption (In Watts)	< 1.2 W
	System and Cable Requirements	MSA or HP compliant SFP+ port
Special Notes / Requirements	Note	For use in 8G Fibre Channel (8GFC) - Short Wave networking equipment and media converters
Connector(s)	Local Unit Connectors	1 - Fiber Optic LC Duplex Female
	Wavelength	850nm
	Туре	Multi Mode
	MTBF	1,967,709 hours
	Maximum Data Transfer Rate	8 Gbps
	Max Transfer Distance	300 m (984 ft)
	Fiber Operating Mode	Full-Duplex
	DDM	Yes
Performance	Compatible Networks	8 Gbps
	Industry Standards	8GFC
Hardware	Compatible Brand	HP®
	Warranty	

Product appearance and specifications are subject to change without notice.