

4 Port DisplayPort KVM Switch - 4K 60Hz - Single Display - Dual Port UHD DP 1.2 USB KVM Switch with Integrated USB 2.0 Hub & Audio - Dell, HP, Apple, Lenovo - TAA Compliant

Product ID: SV431DPUA2



This 4-port KVM switch combines 4K (60Hz) digital display capabilities with control of up to four connected computers.

4K60 Picture and Full Audio Support

The DisplayPort KVM switch supports resolutions up to 4K at 60Hz and can drive one large DP display with ease, maximizing viewing space. With support for 7.1 HD digital audio (with supporting displays and sources) and separate 3.5 mm stereo audio, the DisplayPort 1.2 KVM switch delivers full audio compatibility.

Integrated USB Hub

The integrated USB 2.0 hub shares two additional peripherals (in addition to keyboard and mouse) among attached computers as if they were directly connected, eliminating the cost of duplicate devices such as printers and scanners.

PC and Mac Compatible

While supporting PCs, this DP KVM switch is also compatible with Mac computers using a Mini DisplayPort adapter, including laptops, notebooks, and tablets.

Simple to Operate

The front-panel pushbuttons make it easy to switch between systems and activate the auto scan. The hotkey functionality makes accessing each system quick while a buzzer sound confirms the switch.

StarTech.com offers a wide selection of high-quality KVM switches and KVM-related products to help you access your systems more efficiently without the expense and clutter of extra keyboards, mice and monitors. This USB KVM switch is backed by a 3-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- High-res medical imaging
- High-res digital signage server control
- Multimedia design and production

Features

- **IMPROVE EFFICIENCY:** 4 Port DisplayPort KVM Switch with hotkey and manual switching to access 4 computers with DP video and USB hub; works with major brands including Dell, HP, and Lenovo
- **4K VIDEO QUALITY:** DisplayPort KVM switch supports up to 4K at 60Hz on one large monitor | Supports MST Passthrough for multiple displays
- **TECH SPECS:** 4 Port DP 1.2 KVM | 3840 x 2160 60Hz | 4K UHD | MST Passthrough | 2 Port USB 2.0 Hub | HDCP | 3.5mm Analog Audio | Switching: Hotkey & Push Button | OS Independent | TAA
- **USER-FRIENDLY:** KVM switch with compact & durable steel housing features large buttons & integrated USB 2.0 Hub for sharing USB drives & devices between connected computers
- **THE STARTECH.COM ADVANTAGE:** This KVM is TAA compliant, and StarTech.com offers a 3-year warranty and free lifetime 24/5 multilingual technical support based in North America

Hardware	Warranty	3 Years		
	Audio	Yes		
	Cables Included	No		
	Daisy-Chain	No		
	KVM Ports	4		
	Number of Monitors Supported	1		
	PC Interface	USB		
	PC Video Type	DisplayPort		
	Rack-Mountable	Optional		
	U Height	1U		
Performance	Auto Scan	3, 8, 15 & 30 seconds		
	Hot-Key Selection	Yes		
	IP Control	No		
	Maximum Data Transfer Rate	480 Mbps (USB 2.0)		
	Maximum Digital Resolutions	3840 x 2160 (Ultra HD 4K) @ 60hz		
	Maximum Number of Users	1		
	MTBF	138327 hours		
	On-Screen Display	No		
	Port Selection Support	Push Button and Hotkeys		
	Wide Screen Supported	Yes		
Connector(s)	Console Interface(s)	1 - DisplayPort (20 pin) Female 2 - 3.5 mm Mini-Jack (3 Position) Female 2 - USB Type-A (4 pin) USB 2.0 Female 2 - USB Type-A (4 pin; HID Port) USB 1.1 Female		
	Host Connectors	4 - DisplayPort (20 pin) Female 4 - USB B (4 pin) Female 8 - 3.5 mm Mini-Jack (3 Position) Female		
	Software	OS Compatibility	OS independent: No software or drivers required	
	Indicators	LED Indicators	1 - Power 4 - Green - Online indicator (One LED per port) 4 - Red - Select indicator (One LED per port)	
		Power	Center Tip Polarity	Positive

	Input Current	0.6 A
	Input Voltage	100 - 240 AC
	Output Current	1.5 A
	Output Voltage	12V DC
	Plug Type	M
	Power Consumption (In Watts)	18 W
	Power Source	AC Adapter Included
Environmental	Humidity	0% ~ 40%
	Operating Temperature	0°C to 40°C (32°F to 104°F)
	Storage Temperature	-10°C to 60°C (14°F to 140°F)
Physical Characteristics	Color	Black
	Material	Steel
	Product Height	1.8 in [4.5 cm]
	Product Length	8.7 in [22 cm]
	Product Width	5.2 in [13.1 cm]
	Weight of Product	2.3 lb [1 kg]
Packaging Information	Package Height	3.4 in [87 mm]
	Package Length	16.1 in [40.9 cm]
	Package Width	8.3 in [21.2 cm]
	Shipping (Package) Weight	3.5 lb [1.6 kg]
What's in the Box	Included in Package	1 - KVM switch
		4 - foot pads
		1 - universal power adapter (NA/JP, EU, UK, ANZ)
		1 - quick-start guide

Product appearance and specifications are subject to change without notice.