




Creating Safe Work Solutions During COVID-19

## CSS-M12F83M12M81M12F81

### ► SPLITTERS



Euro Quick Disconnect Splitter Cable

Euro M12 QD Female 0.91m Trunk\_8 pin

Euro M12 QD Male 0.3m Branch 1\_8 pin

Euro M12 QD Female 0.3m Branch 2\_8 pin

Part Number: 25472

### SPECIFICATIONS

Number of Contacts	8
Number of Connectors	3
Cable Jacket Material	PVC
Cable Jacket Color	Yellow
Connector Body Material/Color	PUR Black
Outside Cable Diameter (mm)	6.1
Cordset Length (m)	1.21
Trunk Length (m)	0.91
Shield/No Shield	No Shield
Coupling Material/Color	Nickel Plated Brass
Maximum Temp. (°C)	105

<b>Current Rating (A)</b>	2.0
<b>Minimum Temp. (°C)</b>	-40
<b>Voltage Rating (V)</b>	60 V ac/75 V dc
<b>IP Rating</b>	IP68
<b>Primary Connector Type</b>	EURO
<b>Primary Coupling Method</b>	M12 Single Key
<b>Primary Gender</b>	Female
<b>Primary Orientation</b>	Straight
<b>Primary Number of Conductors</b>	8
<b>Primary AWG</b>	22
<b>Splitter Cable Diameter</b>	6.1, 6.1
<b>Splitter Branches: Connector Type</b>	M12F, M12F
<b>Splitter Branches: Coupling Method</b>	M12 Single Key, M12 Single Key
<b>Splitter Branches: Orientation</b>	Straight, Straight
<b>Splitter Branches: Number of Conductors</b>	8, 8
<b>Splitter Branches: AWG</b>	22, 22
<b>Splitter Branches Length (m)</b>	0.3, 0.3
<b>Splitter Function</b>	Custom
<b>Feature: Hazardous Area</b>	No
<b>Oil/Grease Resistant</b>	No

## COMPATIBLE PRODUCTS



Banner Engineering Corp. | 9714 Tenth Avenue North | Minneapolis, MN 55441 | United States of America