



### KA-0904

- 8-pole
- for SLC/SLG
- Pre-wired cable

## Data

### Ordering data

Product type description	KA-0904
Article number (order number)	101207728
eCl@ss number, Version 9.0	27-44-01-02

### General data

Product name	Pre-wired cable KA-09
Versions	straight
Connector (electric)	Female connector
Enclosure material	Plastic
Material of the contacts, electrical	Metal, CuZn, gold-plated
Material of the nuts	Metal, CuZn, nickel-plated
Colour of the housing	Black
Gross weight	300 g

### General data - Features

Number of poles	8
Number of cable wires	8

### Mechanical data

Mechanical life, minimum	100 Cycles
--------------------------	------------

### Mechanical data - Connection technique

Terminal Connector	Screw connection
Length of cable	5 m

Wire cross-section	0.25 mm <sup>2</sup>
Material of the Cable mantle	PVC

### Mechanical data - Dimensions

Diameter of the ISO-thread	M12
----------------------------	-----

### Ambient conditions

Protection class	IP67
Ambient temperature, minimum (Connector)	-30 °C
Ambient temperature, minimum (Cable)	-40 °C
Ambient temperature, maximum (Connector)	+90 °C
Ambient temperature, maximum (Cable)	+80 °C

### Ambient conditions - Insulation value

Degree of pollution to VDE 0100	3
---------------------------------	---

### Electrical data

Rated operating voltage, maximum	30 V
Contact load capacity	2

### Pin assignment

PIN 1	White
PIN 2	Brown
PIN 3	green
PIN 4	yellow
PIN 5	Grey
PIN 6	Pink
PIN 7	Blue
PIN 8	red

### Pictures

## Product picture (catalogue individual photo)



ID: k1208f01

| 90,2 kB | .jpg | 209.55 x 157.339 mm - 594 x 446


Pixel - 72 dpi

| 22,7 kB | .png | 74.083 x 55.739 mm - 210 x 158

Pixel - 72 dpi

| 32,9 kB | .jpg | 32 x 24 mm - 320 x 240 Pixel - 254  
dpi

## Contact arrangement



ID: km23-k8a

| 18,0 kB | .cdr |

K.A. Schmersal GmbH & Co. KG, Möddinghofe 3, D-42279 Wuppertal

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

Generated on 08.07.2020 15:53:04