

1-104503-4 ✓ ACTIVE

AMPMODU | AMPMODU MTE

TE Internal #: 1-104503-4

AMPMODU MTE, Housing, Plug, Wire-to-Board, 15 Position, 2.54 mm [.1in] Centerline, Crimp / Insulation Displacement Crimp (IDC), 1 Row

[View on TE.com >](#)



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: **Housing**

Connector & Housing Type: **Plug**

Connector System: **Wire-to-Board**

Number of Positions: **15**

Centerline (Pitch): **2.54 mm [.1 in]**

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Plug
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	15
Number of Rows	1

Electrical Characteristics

Dielectric Withstanding Voltage (Max)	600 VAC
Insulation Resistance	5000 MΩ
Operating Voltage	267 V

Contact Features

Contact Layout	Inline
Contact Type	Pin
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	3 A

Termination Features



Termination Method to Wire & Cable	Crimp, Insulation Displacement Crimp (IDC)
------------------------------------	--

Mechanical Attachment

Strain Relief	Without
Panel Mount Feature	Without
PCB Mount Retention	Without
Mating Retention	Without
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Entry Configuration	Both Ends Closed
Housing Material	Thermoplastic
Centerline (Pitch)	2.54 mm [.1 in]
Housing Color	Black

Dimensions

Connector Length	38.04 mm
Connector Height	2.48 mm
Wire Size	.05 – .3 mm ²
Row-to-Row Spacing	2.54 mm [.1 in]

Usage Conditions

Operating Temperature Range	-65 – 105 °C [-85 – 221 °F]
-----------------------------	-----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Quantity	1
Packaging Method	Package

Other

Comment	Refer to AMPMODU contacts for crimp snap-in replacement receptacle or pin contacts.
---------	---

Product Compliance





For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JAN 2020 (205) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts


 <p>TE Model / Part # 5-104506-4 MTE PIN 28-32 AWG PLTD</p>	 <p>TE Model / Part # 5-104505-2 MTE PIN 22-26 AWG PLTD</p>	 <p>TE Model / Part # 5-104505-4 MTE PIN 22-26 AWG PLTD</p>	 <p>TE Model / Part # 6-103640-4 15 MTE RCPT SR LATCH .100CL</p>
--	---	--	---

Also in the Series | AMPMODU MTE



 <p>PCB Connector Shrouds(40)</p>	 <p>Ribbon Connector Accessories(1)</p>	 <p>Standard Rectangular Connectors(1)</p>	 <p>Wire-to-Board Connector Assemblies & Housings(589)</p>
--	---	---	---



Wire-to-Board Connector Contacts(32)

Wire-to-Board Headers & Receptacles
(738)

Customers Also Bought

TE Model / Part #1986714-2
PWR TB 2PIN 2P,15.00 PCB W/PEGTE Model / Part #1630027-2
HSC300 10K 5%TE Model / Part #53660-4
SPLICE,TERMI-FOIL 8TE Model / Part #2-1623782-0
SQM5 39K 5% (METAL FILM)TE Model / Part #5-794620-2
22P MICRO MNL ASSY,R/A,HDR,LFTE Model / Part #6-102393-0
24 AMPMODU MT ASSY DR.100CL SNTE Model / Part #4-146460-0
40 MODII HDR SRST UNSHRD STKGTE Model / Part #YDTS20W11-
35PBC001
RECP ASSY

Documents

Product Drawings

[15 MTE PIN HSG SR RIB .100CL](#)

English

CAD Files

Customer View Model

[ENG_CVM_1-104503-4_G.3d_igs.zip](#)

English

3D PDF

English

Customer View Model

[ENG_CVM_1-104503-4_G.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_1-104503-4_G.2d_dxf.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



Datasheets & Catalog Pages

[AMP MODU MTE Section of Catalog 1307819](#)

English

[AMPMODU_INTERCONNECTION_SYSTEM_SECTION5_CONT](#)

English

[AMPMODU MTE INTERCONNECT SYSTEM](#)

English

Product Specifications

[Application Specification](#)

English

Agency Approvals

[UL Report](#)

English