


TE Internal #: 40524

Rings & Spades, Ring Tongue, 12 – 10AWG Wire Size, 2.62 – 6.64 mm² Wire Size, 6529 – 10382CMA Wire Size, #10, Stud Diameter 4.82 mm [.19 in]

View on TE.com >

Terminals & Splices > Rings & Spades



Terminal & Splice Type: Ring Tongue

Wire Size: 6529 – 10382 CMA

Stud Size: **#10**

Features

Product Type Features

Shape Description

Circular/Oval



Stud Size	#10
Barrel Type	Open Barrel
Sealable	No
Insulated	No
Wire/Cable Type	Regular Wire
Support Style	Non - Insulation Support
Configuration Features	
Number of Holes	1
Terminal Angle	Straight
Body Features	
Inspection Slot	No
Weight per Piece	1.241 g
Plating Material	Tin
Contact Features	
Contact Base Material	Brass

40524

Rings & Spades, Ring Tongue, 12 – 10AWG Wire Size, 2.62 – 6.64mm² Wire Size, 6529 – 10382CMA Wire Size, #10, Stud Diameter 4.82 mm [.19 in]



Terminal & Splice Type	Ring Tongue
Terminal Orientation	Straight
Underplating Material	None
Mechanical Attachment	
Wire Insulation Support	Without
Dimensions	
Wire Size	6529 – 10382 CMA
Stud Diameter	4.82 mm[.19 in]
Tongue Thickness	1.02 mm[.04 in]
Overall Length	17.02 mm[.67 in]
Barrel Inside Diameter	3.05 mm[.12 in]
Usage Conditions	
Operating Temperature Range	-40 - 110 °C[-40 - 230 °F]
Operation/Application	
Heavy Duty	No
Industry Standards	
Government Qualified	No

Packaging Features

Packaging Quantity	8000
Packaging Method	Strip/Reel
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JAN 2020 (205) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

40524

Rings & Spades, Ring Tongue, 12 – 10AWG Wire Size, 2.62 – 6.64mm² Wire Size, 6529 – 10382CMA Wire Size, #10, Stud Diameter 4.82 mm [.19 in]



Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Model / Part # 2150245-1 OCEAN_2.0_APPLICATOR-E-210F



TE Model / Part # 2-2150245-1 OCEAN_2.0_APPLICATOR-E-210F



TE Model / Part # 2-2150245-2 OCEAN_2.0_APPLICATOR-E-210FA



TE Model / Part # 2150245-2 OCEAN_2.0_APPLICATOR-E-210FA

Customers Also Bought TE Model / Part #1633927-2 TE Model / Part #794115-8 TE Model / Part #2150057-2 TE Model / Part #2150286-2 OCEAN_2.0_APPLICATOR-E-110F180F 08P SL156 HSG W/LR,W/O#2 OCEAN-2.0-APPLICATOR-E-ANVIL 180F300FA **STE** TE Model / Part #7-1633131-1 TE Model / Part #1744544-7 TE Model / Part #1-2178029-2 TE Model / Part #1217039-1 ANVIL, COMBINATION .080 EP II TPA 07P, BLACK 2P ST-TIMER RED, VO TIMER CONNECTOR GEN 3 18-14 POST-TPBR

40524

Rings & Spades, Ring Tongue, 12 – 10AWG Wire Size, 2.62 – 6.64mm² Wire Size, 6529 - 10382CMA Wire Size, #10, Stud Diameter 4.82 mm [.19 in]





TE Model / Part #2150621-2 OCEAN_2.0_APPLICATOR-E-080F130FA

Documents

Product Drawings RING TERMINAL 12-10 AWG TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_40524_BF_c-40524-bf.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_40524_BF_c-40524-bf.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_40524_BF_c-40524-bf.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Engineering Report

English

Product Environmental Compliance

TE Material Declaration

English

Agency Approvals UL Report

English