

DIPLOMATE | DIPLOMATE 800 Series

TE Internal #: 7-1437537-8

DIPLOMATE 800 Series, DIP Sockets, Screw Machine, 22 Position, Standard Connector Profile, Row-to-Row Spacing .3 in [7.62 mm],

Vertical, Straight

View on TE.com >



08/26/2020 10:41PM | Page 1

Connectors > Socket Connectors > IC Sockets > DIP Sockets



Contact Fabrication: Screw Machine

Number of Positions: 22 Connector Profile: Standard

Row-to-Row Spacing: 7.62 mm [.3 in] PCB Mount Orientation: Vertical

Features

Product Type Features

Leg Style	Straight
Connector & Contact Terminates To	Printed Circuit Board
Product Type	Socket
Configuration Features	
Number of Positions	22
PCB Mount Orientation	Vertical
Number of Rows	2
Electrical Characteristics	
Contact Resistance	10 mΩ
Insulation Resistance	5000 ΜΩ
Body Features	

Body Features

Sleeve Material	Brass
Sleeve Plating Material	Tin-Lead
Frame Style	Ladder, Open
Connector Profile	Standard
Contact Features	

Contact Features

Socket Style	Standard
Mating Contact Type	Four-Fingered



PCB Contact Termination Area Plating Material	Tin-Lead
Contact Base Material	Beryllium Copper
Contact Fabrication	Screw Machine
Contact Mating Area Plating Material	Gold
	25 μin
Contact Current Rating (Max)	3 A
Socket Type	DIP
Contact Type	Pin
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Solder
Termination Post Length	3.18 mm[.125 in]
Mechanical Attachment	
PCB Mount Retention	Without
Connector Mounting Type	Board Mount
Mating Alignment Type	Polarization
Mating Alignment	With
Housing Features	
Centerline (Pitch)	2.54 mm[.1 in]
Housing Material	Polyester
Dimensions	
Height Above PC Board	2.67 mm[.105 in]
Row-to-Row Spacing	7.62 mm[.3 in]
	1.1 in
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Box & Tube, Tube
Packaging Quantity	22



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JAN 2020 (205) Pb (13% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series DIPLOMATE 800 Series





Customers Also Bought





















Documents

Product Drawings
822-AG11D=SOCKET ASSY

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_7-1437537-8_E.2d_dxf.zip

DIPLOMATE 800 Series, DIP Sockets, Screw Machine, 22 Position, Standard Connector Profile, Row-to-Row Spacing .3 in [7.62 mm], Vertical, Straight



English

Customer View Model

ENG_CVM_CVM_7-1437537-8_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_7-1437537-8_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

DIP Sockets Quick Reference Guide (EN)

English