
# 2361492-2 - ACTIVE

TE Internal #: 2361492-2 Antenna, LTE, Chassis, Adhesive, Cable Assembly, MHF Compatible, Cable Length 50 mm [1.969 in] View on TE.com >



Antennas



Wireless Application: LTE

Mounts To: Chassis

Mounting Retention Type: Adhesive

Antenna Connection Type: Cable Assembly

Antenna Connector Type: MHF Compatible

# Features

## **Product Type Features**

Antenna Connection Type	Cable Assembly
Antenna Connector Type	MHF Compatible
Configuration Features	
Band Type	3 Band
Antenna Protocol	LTE / UMTS / US DUAL / EU TRIVAND / WCDMA
Number of Ports	1
Antenna Style	Embedded
Antenna Type	PCB
Electrical Characteristics	
VSWR (Max)	<4.0:1
Impedance	50 Ω
Active Antenna	No
Signal Characteristics	
Frequency Band	1710 – 2170 MHz, 2300 – 2700 MHz, 698 – 960 MHz

**C** For support call+1 800 522 6752

### 2361492-2

Antenna, LTE, Chassis, Adhesive, Cable Assembly, MHF Compatible, Cable Length 50 mm [1.969 in]



Polarization	Linear
Mounts To	Chassis
Mounting Retention Type	Adhesive
Dimensions	
Product Diameter	1.13 mm[.044 in]
Cable Insulation Diameter (Max)	.7 mm[.028 in]
Cable Length	50 mm[1.969 in]
Product Length	65 mm[2.56 in]
Product Width	15 mm[.59 in]

Application by Region

LTE All Band - 1710 – 2700 MHz, LTE All

	Band - 698 – 960 MHz
Operation/Application	
Wireless Standard	LTE, UMTS, US Dual, EU Triband & WCDMA
Industry Standards	
Wireless Application	LTE
Packaging Features	
Packaging Method	Bag & Box
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209)

### 2361492-2

Antenna, LTE, Chassis, Adhesive, Cable Assembly, MHF Compatible, Cable Length 50 mm [1.969 in]



Candidate List Declared Against: JAN 2020 (205) Does not contain REACH SVHC

Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free

Halogen Content

Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# Customers Also Bought



# Documents

Product Drawings PCB Antenna,cable,MHF,698-2700MHz

English

### 2361492-2

Antenna, LTE, Chassis, Adhesive, Cable Assembly, MHF Compatible, Cable Length 50 mm [1.969 in]



#### CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2361492-2\_1.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2361492-2\_1.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2361492-2\_1.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Datasheet\_PN-2361492-X

English