

CII

TE Internal #: 2-1423155-4 Signal Relays, 120VAC Contact Voltage Rating, 6mW Coil Power Rating (DC), Socket, Plug-In, 250VDC Coil Voltage Rating, 10A Contact Current Rating

View on TE.com >

Relays, Contactors & Switches > Relays > Signal Relays



Contact Voltage Rating: 120 VAC Coil Power Rating (DC): 6 mW

Mounting Type: Socket

Terminal Type: Plug-In

Coil Voltage Rating: 250 VDC

Features

Product Type Features

Product Type

connectivity

Relay

Electrical Characteristics

Actuating System	DC
Coil Type	Monostable
Contact Voltage Rating	120 VAC
Coil Power Rating (DC)	6 mW
Coil Voltage Rating	250 VDC
Contact Switching Voltage (Max)	120 VAC
Coil Magnetic System	Monostable, DC
Contact Features	
Contact Special Features	Magnetic Blowout
Terminal Type	Plug-In
Contact Current Rating	10 A
Contact Arrangement	4 Form C (4PDT)
Contact Number of Poles	4
Mechanical Attachment	

2-1423155-4

Signal Relays, 120VAC Contact Voltage Rating, 6mW Coil Power Rating (DC), Socket, Plug-In, 250VDC Coil Voltage Rating, 10A Contact Current Rating



Operation/Application

Option

Internal Coil Suppression Diode

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JAN 2020 (205) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts




Customers Also Bought

2-1423155-4

Signal Relays, 120VAC Contact Voltage Rating, 6mW Coil Power Rating (DC), Socket, Plug-In, 250VDC Coil Voltage Rating, 10A Contact Current Rating







TE Model / Part #3-1624246-4 RSS3 470R 5% AMMO PK

Documents

Product Drawings GPFNR=RLY,250VDC,MAG BLOWOUT,DIODE SUPPR

English

Datasheets & Catalog Pages 5-1773450-5_sec12_GP_ML_TR

English