

# AMP | AMP CPC

TE Internal #: 211769-4

AMP CPC, Circular Power Connectors, Housing, Operating Voltage 600 VDC, Wire-to-Wire, 9 Position, Wire & Cable, Receptacle,

Reverse Gender, Socket

View on TE.com >



Connectors > Power Connectors > Circular Power > Circular Power Connectors



Connector Product Type: Housing

Operating Voltage: 600 VDC

Connector System: Wire-to-Wire

Number of Positions: 9

Sealable: No

#### **Features**

## **Product Type Features**

Connector Product Type	Housing
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Receptacle
Circular Connector Shell Type	All Plastic

# **Configuration Features**

Reverse Numbering	Without
Number of Positions	9
Number of Power Positions	0
Keying	A
Number of Signal Positions	9

#### **Electrical Characteristics**

Operating Voltage 600 VAC
---------------------------

#### **Contact Features**

Reverse Gender	Yes
Contact Type	Socket
Contact Protection	With



#### Mechanical Attachment

Panel Mount Feature Type	Flange with Mounting Holes
Screw & Hole Thread Size	15/16-20 UNEF-2A
Connector Mounting Type	Panel Mount
Mating Alignment	With
Mating Retention	With
Panel Mount Feature	With
Mating Alignment Type	Keyed
Mating Retention Type	Threaded Coupling
Housing Features	

#### **Housing Features**

Body Orientation	Straight
Housing Color	Black
Housing Material	Nylon 6/6, Thermoplastic
Circular Connector Shell Size	17

# **Usage Conditions**

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Fluid Resistance	None

# Operation/Application

Circuit Application	Power & Signal
Shielded	No

# **Industry Standards**

UL Flammability Rating	UL 94V-0
VDE Tested	Yes

# Packaging Features

Packaging Method	Package
Packaging Quantity	1

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2018 (191) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.

Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# Compatible Parts




# Also in the Series | AMP CPC





Circular Connector Boots & Strain Relief(6)



Circular Connector Caps & Covers(16)



08/31/2020 04:30PM | Page 3






Circular Connector Keying Plugs(2)




Circular Connector Seals(35)



Circular Power Connectors(513)





Sealing & Repair Sleeves(2)



Unscreened Circular Connector Backshells & Clamps(56)

# Customers Also Bought




RN 0805 280R 0.1% 10PPM 1KRL



50 MODII HDR DRRA SHRD LF




JACK,RTANG,PCB,75 OHM BNC



TE Model / Part #1-1614422-0 RN 0805 178K 0.1% 10PPM 1K RL




MICT,RECPT,190,ASSY,PDNI




TE Model / Part #63621-2 SPLICE S-MINI/AMVAR 0098TPCUBR



TE Model / Part #5745996-4 37 MSFL RCPT RA 590 (IN,FM)





TE Model / Part #5-850911-1

LGH-3 BULKHEAD RECEPT.



## **Documents**



## **Product Drawings**

17-9 CPC RECEPT REV SEX

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_211769-4\_AD.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_211769-4\_AD.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_211769-4\_AD.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## **Product Specifications**

**Application Specification** 

English

# Agency Approvals

**UL Report** 

English