HT-SCE-1K-1/4-2.0-S1-9 <

HT-SCE

TE Internal #: C91356-000 HT-SCE, Printable Tubing, Ladder Tubing Type, High Temperature Tubing Grade, 2:1 Printable Tubing Shrink Ratio, White, 1 Prescore View on TE.com >



Identification & Labeling > Printable Tubing



Tubing Type: Ladder Tubing Grade: High Temperature Printable Tubing Shrink Ratio: 2:1 Color: White Number of Prescores: 1

Features

Product Type Features

Tubing Type

Tubing Grade

Ladder

High Temperature

Body Features

Printable Tubing Shrink Ratio	2:1
Color	White
Markers per Sleeve	2
Dimensions	
Sleeve Length	50 mm[2 in]
Supplied Diameter	6.4 mm[.25 in]
Recovered Inside Diameter	3.18 mm[.125 in]
Compatible Cable Diameter	3.4 – 6 mm[.134 – .236 in]
Usage Conditions	
Operating Temperature Range	-55 – 225 °C[-67 – 437 °F]
Operation/Application	
Recommended Ribbon	See Printer Ribbon Matrix
Printer/Label Features	
Recommended Printer	See Printer Ribbon Matrix

HT-SCE-1K-1/4-2.0-S1-9

HT-SCE, Printable Tubing, Ladder Tubing Type, High Temperature Tubing Grade, 2:1 Printable Tubing Shrink Ratio, White, 1 Prescore



Printer Technology	Thermal Transfer
Number of Prescores	1
Packaging Features	
Packaging Quantity	1000
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




HT-SCE-1K-1/4-2.0-S1-9

HT-SCE, Printable Tubing, Ladder Tubing Type, High Temperature Tubing Grade, 2:1 Printable Tubing Shrink Ratio, White, 1 Prescore






Also in the Series | HT-SCE



Customers Also Bought



HT-SCE-1K-1/4-2.0-S1-9

HT-SCE, Printable Tubing, Ladder Tubing Type, High Temperature Tubing Grade, 2:1 Printable Tubing Shrink Ratio, White, 1 Prescore



Documents

Product Drawings HT-SCE-1K-1/4-2.0-S1-9

English

Datasheets & Catalog Pages HT-SCE Heat Shrinkable Sleeves

English

Product Specifications

Product Specification

English

IDENTIFCATION PRINTER PRODUCT RIBBON MATRIX

English