



BANDS/STRAPS

STAINLESS STEEL

KEY FEATURES

- Available in widths: 6.5 mm (1/4"), 9.5 mm (3/8"), 12.7 mm (1/2"), 16 mm (5/8") and 19 mm (3/4")
- Lengths: 30.5 m (100 feet)
- Used in conjunction with stainless steel buckles and a tool to form secure clamping over pipe/cable/pole
- Packaging options: a plastic tote or corrugated box
- Banding tools are separately supplied on request


TE Connectivity's (TE), stainless steel banding solution, which includes comprehensive range of bands and buckles, is the most convenient solution for strapping/clamping applications. Banding system provides great flexibility in installation where the bands are hand-carried and the required length is used as per diameter of the pipe/pole/cable.

Banding product family is designed with a wide range of cross sections (width x thickness) to accommodate various strapping forces. Offering in various grades of stainless steel like AISI 201/316/304/430 makes the whole solution versatile to cater to harsh and corrosive atmosphere, high-tensile applications in a most cost-effective and operator-friendly manner. This makes TE's banding solution the most preferred choice in whole spectrum of applications like signalling systems, cable bundling in marine, chemical industries and hazardous regions like oil and gas.

The bands have round edges for safety of handling and packed in easy-to-carry corrugated carton/plastic container.

Customers can count on consistent, high quality products, driven by TE's proven innovation and backed by our extraordinary customer support.

Bands/Straps - Stainless Steel



HOW TO ORDER

Bands Type	Code
Strap Uncoated	TSU

Width of Bands mm (in)	Code
6.5 (1/4)	12
9.5 (3/8)	58
12.7 (1/2)	12
16 (5/8)	16
19 (3/4)	19
25 (1)	25
32 (1 1/4)	32

Length	Code
30.5 m	30

Material	Code
SS 201	B
SS 316	E
SS 304	F

Thickness mm (in)	Code
0.5 (0.020)	5
0.65 (0.026)	6
0.75 (0.030)	7
1.1 (0.04)	11

Packaging	Code
Corrugated	C
Plastic Tote	T

BANDS FOR HIGH TENSILE APPLICATION - SS 201

TE Product Code	Width	Thickness	Finished Length	Avg. Breaking Strength	Package Quantity
SS 201	mm (in)	mm (in)	Feet	lbs	Feet / Roll
TSU06B305C	6.5 (1/4)	0.5 (0.02)	100	500	100'/roll - Carton
TSU06B305T	6.5 (1/4)	0.5 (0.02)	100	500	100'/roll - Plastic Tote
TSU09B306-5C	9.5 (3/8)	0.8 (0.03)	100	900	100'/roll - Carton
TSU09B306-5T	9.5 (3/8)	0.8 (0.03)	100	900	100'/roll - Plastic Tote
TSU12B307-5C	12.7 (1/2)	0.8 (0.03)	100	1500	100'/roll - Carton
TSU12B307-5T	12.7 (1/2)	0.8 (0.03)	100	1500	100'/roll - Plastic Tote
TSU16B307-5C	16.0 (5/8)	0.8 (0.03)	100	1875	100'/roll - Carton
TSU16B307-5T	16.0 (5/8)	0.8 (0.03)	100	1875	100'/roll - Plastic Tote
TSU19B307-5C	19.0 (3/4)	0.8 (0.03)	100	2250	100'/roll - Carton
TSU19B307-5T	19.0 (3/4)	0.8 (0.03)	100	2250	100'/roll - Plastic Tote

BANDS FOR CORROSIVE APPLICATION - SS 316 / SS 304

TE Product Code		Width	Thickness	Finished Length	Avg. Breaking Strength	Package Quantity
SS 316	SS 304	mm (in)	mm (in)	Feet	lbs	Feet / Roll
TSU06E305C	TSU06F305C	6.5 (1/4)	0.5 (0.02)	100	400	100'/roll - Carton
TSU06E305T	TSU06F305T	6.5 (1/4)	0.5 (0.02)	100	400	100'/roll - Plastic Tote
TSU09E306-5C	TSU09F306-5C	9.5 (3/8)	0.8 (0.03)	100	750	100'/roll - Carton
TSU09E306-5T	TSU09F306-5T	9.5 (3/8)	0.8 (0.03)	100	750	100'/roll - Plastic Tote
TSU12E307-5C	TSU12F307-5C	12.7 (1/2)	0.8 (0.03)	100	1200	100'/roll - Carton
TSU12E307-5T	TSU12F307-5T	12.7 (1/2)	0.8 (0.03)	100	1200	100'/roll - Plastic Tote
TSU16E307-5C	TSU16F307-5C	16.0 (5/8)	0.8 (0.03)	100	1500	100'/roll - Carton
TSU16E307-5T	TSU16F307-5T	16.0 (5/8)	0.8 (0.03)	100	1500	100'/roll - Plastic Tote
TSU19E307-5C	TSU19F307-5C	19.0 (3/4)	0.8 (0.03)	100	1800	100'/roll - Carton
TSU19E307-5T	TSU19F307-5T	19.0 (3/4)	0.8 (0.03)	100	1800	100'/roll - Plastic Tote

BANDS FOR ECONOMIC APPLICATION - SS 430

TE Product Code	Width	Thickness	Finished Length	Avg. Breaking Strength	Package Quantity
SS 430	mm (in)	mm (in)	Feet	lbs	Feet / Roll
TSU06A305C	6.5 (1/4)	0.5 (0.02)	100	500	100'/roll - Carton
TSU06A305T	6.5 (1/4)	0.5 (0.02)	100	500	100'/roll - Plastic Tote
TSU09A306-5C	9.5 (3/8)	0.8 (0.03)	100	900	100'/roll - Carton
TSU09A306-5T	9.5 (3/8)	0.8 (0.03)	100	900	100'/roll - Plastic Tote
TSU12A307-5C	12.7 (1/2)	0.8 (0.03)	100	1500	100'/roll - Carton
TSU12A307-5T	12.7 (1/2)	0.8 (0.03)	100	1500	100'/roll - Plastic Tote
TSU16A307-5C	16.0 (5/8)	0.8 (0.03)	100	1875	100'/roll - Carton
TSU16A307-5T	16.0 (5/8)	0.8 (0.03)	100	1875	100'/roll - Plastic Tote
TSU19A307-5C	19.0 (3/4)	0.8 (0.03)	100	2250	100'/roll - Carton
TSU19A307-5T	19.0 (3/4)	0.8 (0.03)	100	2250	100'/roll - Plastic Tote

GIANT BANDS

TE Product Code	Material	Width	Thickness	Finished Length	Avg. Breaking Strength
		mm (in)	mm (in)	Feet	lbs
TSU19B3011	SS 201	19.0 (3/4)	1.0 (0.04)	100	3300
TSU25B3011	SS 201	25.4 (1.00)	1.0 (0.04)	100	4400
TSU32B3011	SS 201	31.8 (1.25)	1.0 (0.04)	100	5500
TSU19E3011	SS 316	19.0 (3/4)	1.0 (0.04)	100	2700
TSU25E3011	SS 316	25.4 (1.00)	1.0 (0.04)	100	3600
TSU32E3011	SS 316	31.8 (1.25)	1.0 (0.04)	100	4500
TSU19F3011	SS 304	19.0 (3/4)	1.0 (0.04)	100	2600
TSU25F3011	SS 304	25.4 (1.00)	1.0 (0.04)	100	3500
TSU32F3011	SS 304	31.8 (1.25)	1.0 (0.04)	100	4400

Package quantity : 100' per roll

Banding Tools



Buckles



TRR-B04

TRR-T03

Jaw Type Wing Type

te.com/energy

© 2018 TE Connectivity. All Rights Reserved. EPP-3220-DDS-10/18-AMS-Bands-Straps-TE

TE Connectivity and TE connectivity (logo) are trademarks. Other logos, product and/or company names might be trademarks of their respective owners. While TE has made every reasonable effort to ensure the accuracy of the information in this brochure, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this catalog are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.

FOR MORE INFORMATION: TE Technical Support Centers

USA: +1 800 327 6996
 Canada: +1 (905) 475-6222
 Mexico: +52 (0) 55-1106-0800
 Latin/S. America: +54 (0) 11-4733-2200
 France: +33 380 583 200
 UK: +44 0870 870 7500
 Germany: +49 896 089 903
 Spain: +34 916 630 400
 Italy: +39 333 250 0915
 Benelux: +32 16 508 695
 Russia: +7 495-790 790 2-200
 China: +86 (0) 400-820-6015