

HyperLink 2.4 GHz 3 dBi N-Male "Rubber Duck" Wireless LAN Antenna

Features

- Compact size, only 5.4" long
- Tilt and swivel design
- RP-TNC Connector
- 802.11b, 802.11g and Bluetooth® compatible



Description

This compact 2.4GHz Omni directional "rubber-duck" WiFi antenna provides broad coverage and 3 dBi gain. It is a coaxial sleeve design with an omni-directional pattern. It is ideally suited for IEEE 802.11b and 802.11g wireless LANs, Bluetooth® and other WLAN applications.

Only 5.8" long, this flexible antenna features a tilt-and-swivel N-Type Male connector, allowing them to be used vertically, at a right angle, or any angle in-between.

Specifications

Electrical Specifications

Frequency	2400-2500 MHz
Gain	3 dBi
Impedance	50 Ohm
VSWR	< 2.0


Mechanical Specifications


Weight	1.4 oz. (40 g)
Length	5.8" (147 mm)
Diameter	0.5" (13 mm)
Finish	Matte Black
Connector	N-Type Male
Operating Temperature	-40° C to 85° C (-40° F to 185° F)
Polarization	Vertical



Model: HG2403RD-NM

Antenna Gain Pattern





L-COM, INC. 45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845 WWW.L-COM.COM E-MAIL: SALES@L-COM.COM PHONE: 1-800-343-1455 FAX: 1-978-689-9484 © L-com, Inc. All Rights Reserved. L-com Global Connectivity and the L-com logo are registered marks.