



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
E	ECN 7890: UPDATED FORMAT, PACKAGING, ROHS	4/2/15	D. DESJARDIN



PART NUMBER	LENGTH		PART NUMBER	LENGTH	
	FEET	METERS		FEET	METERS
TRD855-1	1	0.31	TRD855-30	30	9.14
TRD855-2	2	0.61	TRD855-40	40	12.19
TRD855-3	3	0.91	TRD855-50	50	15.24
TRD855-5	5	1.52	TRD855-60	60	18.29
TRD855-7	7	2.13	TRD855-75	75	22.86
TRD855-10	10	3.05	TRD855-80	80	24.38
TRD855-15	15	4.57	TRD855-90	90	27.43
TRD855-20	20	6.1	TRD855-100	100	30.48
TRD855-25	25	7.62			

**NOTES:**

**MATERIAL:**  
 PLUG HOUSING: POLYCARBONATE, CLEAR, UL94V-0  
 CONTACTS: PHOSPHOR BRONZE  
 CABLE JACKET: PVC, GRAY

**FINISH:**  
 CONTACTS: 50 μINCHES GOLD IN CONTACT AREA  
 OVER 100 μINCHES NICKEL PLATE OVERALL.

**CABLE CHARACTERISTICS:**  
 UNSHIELDED FOUR TWISTED PAIR MODULAR CABLE, 24 AWG STRANDED COPPER; UL LISTED COMMUNICATIONS CABLE, TYPE CM

**MISCELLANEOUS:**  
 PLUG CONFORMS TO TIA-1096  
 OPERATING TEMPERATURE RANGE: -20°C TO +60°C  
 CABLE S TO BE TESTED FOR CONTINUITY  
 CABLE ASSEMBLY SHALL BE INDIVIDUALLY PACKAGED IN ACCORDANCE WITH L-COM SPECIFICATION PS-0031.

**REGULATORY COMPLIANCE:**  
 CE2011/65/EU (RoHS DIRECTIVE)

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm] OVERALL CABLE LENGTH TOLERANCE: $\leq 12$ [305] = +1 [25] / -0 $> 12$ [305] $\leq 60$ [1524] = +2 [51] / -0 $> 60$ [1524] $\leq 120$ [3048] = +4 [102] / -0 $> 120$ [3048] $\leq 300$ [7620] = +6 [152] / -0 $> 300$ [7620] = +5% / -0% ALL OTHER DIMENSIONAL TOLERANCES: .X = ± .2 [5.08] .XX = ± .02 [1.51] .XXX = ± .005 [1.13]	APPROVALS DRAWN BY C.MCCORMICK CHECKED BY ENG APPROVED BY J.ROBERTS	DATE 07/18/2006 07/18/2006 07/18/2006	45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845	
	CONFIGURATION DETAILS OF UNDIMENSIONED FEATURES MAY VARY			CATEGORY TELECOM/MODULAR
	PROJECTION 	COLOR VARIATIONS MAY OCCUR	SIZE <b>A</b>	FSCM NO. <b>43321</b>
	DWG. NO. TRD855		REV. <b>E</b>	SCALE: NONE CAD FILE: TRD855.SLDDRW SHEET 1 OF 1