

PRODUCT-DETAILS

CP1-31L-10

Illuminated Pushbutton CP1-31L-10



General Information

Extended Product Type	CP1-31L-10
Product ID	1SFA619100R3114
EAN	7320500507049
Catalog Description	Illuminated Pushbutton CP1-31L-10
Long Description	Illuminated Pushbutton CP1-31L-10

Ordering

EAN	7320500507049
Minimum Order Quantity	10 piece
Customs Tariff Number	85365019

Dimensions

Product Net Width	0.03 m
Product Net Height	0.03 mm
Product Net Depth / Length	0.055 m
Product Net Weight	0.018 kg

Container Information

Package Level 1 Units	bag 10 piece
-----------------------	--------------

Environmental

Ambient Air Temperature	Operation -25 ... +70 °C Storage -40 ... +85 °C
RoHS Status	Following EU Directive 2015/863 July 22, 2019 (RoHS 3)

Additional Information

Actuator Type	Flush
Bezel Material	Chrome Metal
Color	Blue
Connection Type	Screw Clamp
Degree of Protection	Front IP66 Front IP67 Front IP69K Terminals IP20
Function	Momentary
Illumination	Illuminated
Lamp Type	LED 24 AC/DC
Mechanical Durability	0.5 million
Number of Auxiliary Contacts NC	0
Number of Auxiliary Contacts NO	0
Product Main Type	CP1
Product Name	Pushbutton
Product Type	CP
Rated Frequency (f)	50 / 60 Hz
Rated Operational Current AC-15 (I _e)	(220 / 240 V) 1 A
Rated Operational Current DC-13 (I _e)	(125 V) 0.2 A (24 V) 0.3 A
Rated Operational Voltage	24 V AC/DC

Certificates and Declarations (Document Number)

CCC Certificate	2010010305427787
cURus Certificate	UL_E496500-20171020
Data Sheet, Technical Information	1SFC151007C02__
Declaration of Conformity - CE	2CMT2015-005451
DNV GL Certificate	9AKK107046A3749
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2015-005451

Classifications

ETIM 6	EC001028 - Push button, complete
ETIM 7	EC001028 - Push button, complete
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Compact Range

