

PSSu E AI SHT1

312261



Shunt module for PSSu E F AI I 500 mA.

Technical details

| | |
|----------------------------|---|
| Certifications: | CE;cULus Listed;EAC (Eurasian);TÜV |
| Application range: | Standard |
| Number of analogue inputs: | 1 |
| Protection type, housing: | IP20 |
| Permitted base modules: | PSSu BP 1/12C;PSSu BP 1/12S;PSSu BP 1/8C;PSSu BP 1/8S;PSSu BP-C 1/12C;PSSu BP-C 1/12S;PSSu BP-C 1/8C;PSSu BP-C 1/8S |
| Width dimension: | 12.6 mm |
| Height dimension: | 76.0 mm |
| Depth dimension: | 60.2 mm |
| Gross weight: | 39 g |
| Net weight: | 30 g |
| Ambient temperature: | 0 - 60 °C |

Accessories



312600

PSSu BP 1/8 S



312601

PSSu BP 1/8 C



312610

PSSu BP-C 1/8 S



312611

PSSu BP-C 1/8 C



312618

PSSu BP 1/12 S



312619

PSSu BP 1/12 C



312620

PSSu BP-C 1/12 S



312621

PSSu BP-C 1/12 C

Optional accessories



312900

PSSu A ET (10 pcs.)



312901

PSSu A ETM (2 pcs.)



312902

PSSu A EC



312949

PSSu A ET PE (10 pcs.)



312958

PSSu A LA0 (10 x 108 pcs.)



312967

PSSu A LA0.1 (10 x 108 pcs.)