

SAFETY DATA SHEET

1. Identification

Product identifier	Dymon [®] Stainless Steel C	leaner - Natural Citrus
Other means of identification		
Part Number	34520	
Recommended use	Cleaner & Polisher	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name	ITW Pro Brands	
Address	4647 Hugh Howell Rd	
	Tucker, GA 30084	
	United States	
Telephone	1-800-241-8334 /	770-243-8800
Website	www.lpslabs.com	
E-mail	lpssds@itwprobrands.com	
Emergency phone number	Chemtrec	1-800-424-9300
2. Hazard(s) identification		

Physical hazards	Gases under pressure
Health hazards	Sensitization, skin
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	

Signal word	Warning
Hazard statement	Contains gas under pressure; may explode if heated. May cause an allergic skin reaction.
Precautionary statement	
Prevention	Avoid breathing gas. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves.
Response	If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Storage	Protect from sunlight. Store in a well-ventilated place.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Combustible.
Supplemental information	None.

Liquefied gas

Category 1

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates Petroleum Hydrotreated Light		64742-47-8	10 - 20
Petroleum Gases, Liquefied, Sweetened		68476-86-8	5 - 10
White Mineral Oil		8042-47-5	5 - 10

Chemical name	Common name and synonyms	CAS number	%
Naphtha, Petroleum, Hydrotreated Heavy		64742-48-9	1 - 5
Sorbitan monooleate		1338-43-8	1 - 5
d-limonene		5989-27-5	0.1 - 1
Sodium Nitrate		7632-00-0	0.1 - 1

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Not likely, due to the form of the product.
Most important symptoms/effects, acute and delayed	May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Alcohol resistant foam. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. ALWAYS stay away from tanks engulfed in flame. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Contents under pressure. Pressurized container may explode when exposed to heat or flame. Combustible.
6. Accidental release meas	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be

advised if significant spillages cannot be contained. For personal protection, see section 8 of the
SDS.Methods and materials for
containment and cleaning upUse water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed.
Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing gas. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Keep away from heat and sources of ignition. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Stored containers should be periodically checked for general condition and leakage. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

U.S OSHA Components	Туре	Value	Form
Distillates Petroleum Hydrotreated Light (CAS 64742-47-8)	PEL	5 mg/m3	Oil mist
White Mineral Oil (CAS 8042-47-5)	TWA	5 mg/m3	Oil mist.
ACGIH Components	Туре	Value	Form
Distillates Petroleum Hydrotreated Light (CAS 64742-47-8)	TWA	5 mg/m3	Oil mist
White Mineral Oil (CAS 8042-47-5)	TWA	5 mg/m3	Respirable fraction.
U.S NIOSH Components	Туре	Value	Form
White Mineral Oil (CAS 8042-47-5)	TWA	5 mg/m3	Mist.
Biological limit values	No biological exposure limits noted for	r the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measures	s, such as personal protective equipme	ent	
Eye/face protection	Wear safety glasses with side shields	(or goggles).	
Skin protection Hand protection	Wear appropriate chemical resistant g	gloves.	
Other	Wear appropriate chemical resistant of	clothing. Use of an impervious	apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear	r suitable respiratory equipme	nt.
Thermal hazards	Wear appropriate thermal protective c		
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.		clothing and protective
9. Physical and chemical	properties		

Appearance

••	
Physical state	Gas.
Form	Aerosol.
Color	White.
Odor	Citrus.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.

Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.
11. Toxicological informat	ion
Information on likely routes of e	xposure
Inhalation	Prolonged inhalation may be harmful.
Skin contact	May cause an alleroic skin reaction

Skin contact	May cause an allergic skin reaction.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	May cause an allergic skin reaction. Dermatitis. Rash.
Information on toxicological eff	ects

Acute toxicity	Not known.		
Components	Species	Test Results	
Distillates Petroleum Hydr	rotreated Light (CAS 64742-47-8)		
Acute			
Dermal			
LD50	Rabbit	> 2000 mg/kg	
Inhalation			
Vapor			
LC50	Rat	> 4.5 mg/l, 4 Hours	

Components	Species	Test Results
		> 0.1 mg/l, 8 Hours
Oral	D /	
LD50	Rat	> 5000 mg/kg
d-limonene (CAS 5989-27-5)		
<u>Acute</u>		
Oral LD50	Rat	> 2000 mg/kg
Naphtha, Petroleum, Hydrotreate		> 2000 mg/kg
Acute	u Heavy (CAS 04742-40-5)	
Dermal		
LD50	Rabbit	> 1900 mg/kg, 24 Hours
Inhalation		
Vapor		
LC50	Rat	> 5 mg/l, 4 Hours
Oral		-
LD50	Rat	4800 mg/kg
Sodium Nitrate (CAS 7632-00-0)		
Acute		
Inhalation		
LC50	Rat	5.5 mg/l, 4 Hours
White Mineral Oil (CAS 8042-47-	5)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours
Inhalation	-	
LC50	Rat	2.2 mg/l, 4 Hours
Oral		5000 //
LD50	Rat	> 5000 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause tem	
Serious eye damage/eye irritation	Direct contact with eyes may cause ter	nporary irritation.
Respiratory or skin sensitizatio		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinogenicity to	humans.
	Evaluation of Carcinogenicity	
d-limonene (CAS 5989-2 OSHA Specifically Regulate	27-5) 3 Not c ed Substances (29 CFR 1910.1001-1052	lassifiable as to carcinogenicity to humans.)
Not regulated. US. National Toxicology Pr	ogram (NTP) Report on Carcinogens	
Not listed.		
Reproductive toxicity	This product is not expected to cause r	eproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
iopoutou oxpooulo		
Aspiration hazard	Not an aspiration hazard.	

12. Ecological information

Ecotoxicity		not classified as environmentally hazardo large or frequent spills can have a harmfu	
Components	, ,	Species	Test Results
Distillates Petroleum Hydrotre	ated Light (CAS	64742-47-8)	
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2.9 mg/l, 96 hours
d-limonene (CAS 5989-27-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	69.6 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	0.619 - 0.796 mg/l, 96 hours
Sodium Nitrate (CAS 7632-00	-0)		
Aquatic			
Crustacea	EC50	Greasyback shrimp (Metapenaeus ensis)	16.14 - 26.61 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.15 - 0.25 mg/l, 96 hours
Persistence and degradability	No data is ava	ilable on the degradability of any ingredier	nts in the mixture.
Bioaccumulative potential			
Partition coefficient n-octan d-limonene	ol / water (log l	(ow) 4.232	
lobility in soil	No data availa	ble.	
Other adverse effects	None known.		
3. Disposal consideration	ıs		
Disposal instructions		claim or dispose in sealed containers at lic iner in accordance with local/regional/nati	
ocal disposal regulations	Dispose in acc	cordance with all applicable regulations.	
lazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company. D003: Waste Reactive material		
Naste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		
14. Transport information			
тот			
UN number	UN1950		
UN proper shipping name Transport hazard class(es)	Aerosols, non-	flammable, (each not exceeding 1 L capa	city)
Class	2.2		
Subsidiary risk	-		
Label(s) Packing group	2.2 Not available.		
Environmental hazards	Not available.		
Marine pollutant	No		
Special precautions for use	-	structions, SDS and emergency procedure	es before handling.
Packaging exceptions	306		
Packaging non bulk	None		
Packaging bulk ATA	None		
LIN number	UN1950		

Transport hazard class(es)		
Class	2.2	
Subsidiary risk	-	
Packing group	Not available.	
Environmental hazards	No.	
ERG Code	2L	
Special precautions for user Other information	Read safety instructions, SDS	and emergency procedures before handling.
Passenger and cargo aircraft	Allowed with restrictions.	
Cargo aircraft only	Allowed with restrictions.	
IMDG		
UN number	UN1950	
UN proper shipping name Transport hazard class(es)	Aerosols, non-flammable	
Class	2.2	
Subsidiary risk	-	
Packing group	Not available.	
Environmental hazards		
Marine pollutant	No	
EmS	F-D, S-U	
Special precautions for user	Read safety instructions, SDS	and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.	
DOT		
NON-FLAMMABLE GAS		
IATA; IMDG		
15. Regulatory information		
US federal regulations	Standard, 29 CFR 1910.1200.	Chemical" as defined by the OSHA Hazard Communication
TSCA Section 12(b) Export N	lotification (40 CFR 707, Subp	t. D)
Sodium Nitrate (CAS 7632-00-0) CERCLA Hazardous Substance List (40 CFR 302.4)		1.0 % One-Time Export Notification only.
Sodium Nitrate (CAS 7632-00-0)		Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical	Yes	
Classified hazard categories	Gas under pressure Acute toxicity (any route of exposure) Respiratory or skin sensitization	

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

US. New Jersey Worker and Community Right-to-Know Act

Sodium Nitrate (CAS 7632-00-0)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Naphtha, Petroleum, Hydrotreated Heavy (CAS 64742-48-9) Petroleum Gases, Liquefied, Sweetened (CAS 68476-86-8)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	06-25-2018
Version #	01
Disclaimer	ITW Pro Brands cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.