

FEATURES

-
-
-
-
-

RS PRO Terminal Block Housing

RS Stock No.: 452-619



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

- Fuse Terminal Block
- Fuse size 1" x ¼" or 1 ¼" x ¼"
- Wire Stripping length 7.5mm-8mm
- Packed in 10pcs

General Specifications

Cable Size	>10mm ²
Number Of Contacts	3
Mounting Type	Fixing Screw
Material	Nylon 6.6 UL94 V2
Terminal Block Type	Fused
Minimum Operating Temperature	-35°C
Maximum Operating Temperature	100° continuous 160°C short term
Colour	Grey
Type Of Connection	Screwed

Electrical Specifications

Operating Current	16A
Operating Voltage	250V
Impulse Withstand Voltage	4KV

Mechanical Specifications

Width	36mm
Height	34mm

Protection Category

IP Rating	n/a
------------------	-----

Additional Information

EAN	452619
Custom Tariff Number	85389099

Classification

eCl@ss (Version)	
UNSPSC (V6.01)	

Approvals

Declarations	MFR Declaration of Conformity
Standards Met	VDE, CSA

Similar Products

Stock No.	Brand	Product Name	Material	Cable Size	Mounting Type
452-619	RS PRO	Fuse Terminal	Nylon 6.6 UL94 V2	>10mm ²	Fixing Screw
XXX-XXXX	RS PRO				

Additional Information / Connection Diagrams / Illustrations / Accessories