


Schaefer® 20CFO 20" OSHA-Compliant Fixed-Mount Circulation Fan—4050 CFM, 1/4 HP, 115 Volt



- HEAVY-DUTY—great for any commercial, industrial, or agricultural facility
- LEGENDARY—greater air movement and superior cooling
- BEST-IN-CLASS—energy-efficient design for unrivaled cost savings
- Matched heavy-duty motor and blades
- Includes a 2-year limited warranty

Product Description

The Schaefer® 20CFO 20" OSHA-Compliant Fixed-Mount Circulation Fan—4050 CFM, 1/4 HP, 115 Volt is the ideal cooling solution for any commercial, industrial, or agricultural facility. Engineered to produce greater air movement and superior cooling, it's the right choice no matter the application. The best-in-class energy-efficient design provides unrivaled cost savings, drawing as little as 1.6 amps. The matched heavy-duty motor and blades provide maximum velocity, and the specifically designed, power-coated steel guards give this legendary fan its trusted durability, long life, and corrosion resistance. Plus, they have the versatility to be mounted almost anywhere—on a ceiling, wall, pedestal, or cart. Includes a 2-year limited warranty.



Features and Benefits

- Great for any commercial, industrial, or agricultural facility
- Engineered to produce greater air movement and superior cooling
- Best-in-class energy-efficient design for unrivaled cost savings
- Specifically designed, powder-coated steel guards for trusted durability and corrosion resistance
- Maximum velocity for up to 4050 CFM
- Matched heavy-duty motor and blades

- Thermally-protected, maintenance-free,
 2-speed motor for long life
- Power cord included
- Wide variety of mounting options available
- Hazardous location models available
- Variable speed control
- Assembled in the USA
- 2-year limited warranty

Key Specs

Model Number	20CFO
Brand	Schaefer®
Warranty	2-year limited warranty
Net Weight (lb.)	28
Air Flow (CFM)	3000 / 4050
Motor Size (HP)	1/4
Fan Diameter (in.)	20

Variable Speed	Yes
Speed (RPM)	1100
Thrust (lbf)	1.34 / 2.45
Volts	115
Amps	1.6 / 2.9
Tested	S
	· · · · · · · · · · · · · · · · · · ·