



The patented Laird Connectivity Phantom[®] is a tough low-profile antenna for outdoor or indoor applications. Measuring only 2.3" tall, the Phantom 902-928 MHz antenna is designed and performance engineered with vertical polarization components. This antenna provides frequency agility, low visibility, and a low angle radiation pattern that delivers superior performance in challenging application environments.

The industry standard NMO mounting socket mates with all Laird Connectivity magnetic, trunk lid, and hole mounts. Also available is optional threaded permanent stud mount model that is vandal resistant for mounting on brackets, panels, ceilings, or any other kind of housing.

The patented Phantom® antenna technology is beneficial when high performance is desired and extreme ruggedness and low profile is required.

FEATURES AND BENEFITS

- Mechanically robust for both indoor and outdoor applications
- NMO mount and vandal resistant permanent mount option
- IP67 rated for dust intrusion and temporary water immersion
- RoHS tested and compliant components

APPLICATIONS

- Cellular
- GSM and PCS
- Wi-Fi
- 802.11
- Bluetooth wireless applications

ELECTRICAL SPECIFICATIONS	
Model Name	TRA9023
Operating Frequency (MHz)	902-928
VSWR	<2.0:1
Gain (dBi)	3.0
Nominal Impedance (Ohms)	50
Max Power - Ambient 25°C (W)	100
Polarization	Vertical
Radiation Pattern	Omnidirectional
Vertical Plane 3 dB Beamwidth	360°
Horizontal Plane 3 dB Beamwidth	78°

MECHANICAL SPECIFICATIONS	
Dimensions – H x D – mm (inches)	58.42 x 36.6 (2.3 x 1.44)
Weight – g (lbs.)	TRA9023N: 184 (0.405)
	TRA9023NP: 240 (0.529)
Color	Black/Black Chrome or White/Chrome

ENVIRONMENTAL SPECIFICATIONS	
Operating Environment (Indoor or Outdoor)	Indoor or outdoor
Operating Temperature – °C (°F)	-40 to +85°C (-40 to +185°F)
Storage Temperature – °C (°F)	-45 to +85°C (-49 to +185°F)
Wind Rating – km/hr (mph)	282 (175)
Ingress Protection Rating	IP67
Material Substance Compliance	RoHS


CONFIGURATION


PART NUMBER	MOUNTING	COMMENTS
TRA9023	NMO Mount	
TRA9023P	Permanent Stud Mount	
TRA9023N	NMO Mount	No ground plane required
TRA9023NP	Permanent Stud Mount	No ground plane required


Note: Add **B** to the part number for black radome (for example: TRAB9023).




RADIATION PATTERNS











910 MHz














√RoHS

Laird Connectivity warrants to the original end user customer of its products that its products are free from defects in material and workmanship. Subject to conditions and limitations Laird Connectivity will, at its option, either repair or replace any part of its products that prove defective because of improper workmanship or materials. This limited warranty is in force for the useful lifetime of the original end product into which the Laird Connectivity product is installed. Useful lifetime of the original end product may vary but is not to exceed five (5) years from the original date of the end product purchase.

5

Any information furnished by Laird Connectivity and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird Connectivity materials rests with the end user, since Laird Connectivity materials as to the fitness, merchantability or suitability or suitability or any Laird Connectivity materials or products for any specific or general uses. Laird Connectivity shall not be liable for incidental or consequential damages of any kind. All Laird Connectivity products are sold pursuant to the Laird Connectivity. Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request.

© Copyright 2021 Laird Connectivity All Rights Reserved. Laird Connectivity, the Laird Connectivity logo, and other marks are trademarks or registered trademarks of Laird Connectivity or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird Connectivity or any third-party intellectual property rights.

sales@lairdconnect.com support@lairdconnect.com www.lairdconnect.com