

FEATURES

- Industry standard symmetrical rail – 35mm x 15mm
- Slotted Din-Rail
Aluminium
- Conforms to EN 60715 and DIN 46277-3 standards

RS PRO, Aluminium Din Rail, 2000mm x 35mm x 15mm

RS Stock No.: 2258313



Din-Rails

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

*From the trusted RS PRO brand, a selection of robust TS-35 deep DIN rails used for mounting various electrical and industrial equipment. The TS-35 rail or Top Hat as it is also known is manufactured from Aluminium.
Available in various lengths and slotted and un-slotted (perforated) profiles for easy attachment and wiring.*

General Specifications

Compatibility	Deep Top-Hat
DIN Rail Type	TS35
Applications	Large PLC's, Transformers and power supplies, Drives, Automation and control equipment, Contactors, overloads and relays, Circuit breakers and RCBO's, Timers and switches, Hydraulic components

Mechanical Specifications


Material	Aluminium
Length	2000 mm
Width	35 mm
Height	15 mm

Approvals

Standards Met	EN 60715
----------------------	----------

Similar Products

Stock No.	Brand	Product Name	Attribute 1	Attribute 2	Attribute 3



Connection Diagrams / Assembly Diagrams / Illustrations / Accessories