

Datasheet

RS PRO, 20W Plug In Power Supply 5V dc

Stock No: 144-0954



Features & Benefits:

- Supplied with Interchangeable AC plug tops (UK, Euro, USA and Australia)
- Convenient and lightweight
- Equipped with over voltage, over current & short circuit protection.
- Very low power consumption of <0.10W
- Meets RoHS, REACH & CE Directive(s) Compliant standards
- Maximum operating temperature of +40°C
- Efficiency of >83.08%

Specifications

Attribute	Value
Type	AC/DC Adapter
Plug Type	Australia, European Plug, UK, US
Output Voltage	5V dc
Input Voltage	100 V ac, 110 V ac, 115 V ac, 120 V ac, 127 V ac, 220 V ac, 230 V ac, 240 V ac
Output Current	4A
Maximum Temperature	+40°C
Output Connector	2.1 x 5.5 x 12 mm Centre Positive
Input Connector	Universal Plug
Number of Outputs	1
Power Rating	20W
Regulated/Unregulated	Regulated
Cable Length	1.2m

Standards Met

AS/NZS 60950.1, BS EN 60950-1, CB, CE, CSA C22.2 No. 60950-1-07, cUL, EN 60950-1, ErP III (Level VI) Efficiency Compliant, FCC, J60950-1, SAA, TUV, UL, UL 60950-1

Efficiency	83.08%
Load Regulation	±5%
Depth	36mm
Length	52mm
Width	101mm
Series	HK-AB
Energy Efficiency Level	VI
Minimum Temperature	0°C

