

## FEATURES

- Ultimate soldering workstation
- 2 in 1 Magnifier - dia. 75mm/3"
- Work holder with alligator clips & mini vice

# RS PRO Helping Hands & LED Magnifier Workstation

RS Stock No.: 162-5345



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

### Product Description

*2 in 1 Magnifier - dia. 75mm/3"*

- *Main lens 3x mag.*
- *Insert lens 4.5x mag.*
- *10 LEDs , giving a cool, bright light*

*Work holder with alligator clips & mini vice*

- *360-degree rotation*
- *Locking nut adjustment*
- *Removable mini vice with 10mm jaw capacity*
- *Fitted with soldering iron holder & soldering tray*

*Applications:*

- *Model making & repairing*
- *Electronic soldering*
- *Precision engineering*
- *Other general precision tasks requiring close up observation and attention*

### General Specifications

<b>Vice Type</b>	Hand Vice
<b>Colour</b>	Black
<b>Number of Sheet per Pack</b>	N/A
<b>Construction</b>	Plastic with Metal Grips
<b>Base Type</b>	Weighted

### Mechanical Specifications

<b>Jaw Opening</b>	1.5cm
<b>Jaw Width</b>	1.5cm
<b>Jaw Depth</b>	1.5cm
<b>Jaw Height Capacity</b>	1.5cm
<b>Jaw Height from Base</b>	11cm
<b>Overall Length with Jaws Closed</b>	N/A
<b>Overall Length with Jaws Fully Closed</b>	N/A
<b>Clamping Slot Width</b>	1.5cm
<b>Maximum Clamping Force</b>	2000N
<b>Rotating Vice Head</b>	360°
<b>Mounting</b>	Crocodile Clips
<b>Weight</b>	490g

**Classification**

eCl@ss Version	
UNSPSC Version	

**Approvals**

Declarations	CE, RoHS
--------------	----------

**Similar Products**

Parameters	Stock#	Stock#	Stock#	Stock#
Brand	RS PRO	RS PRO	RS PRO	RS PRO
Vice Type				
Colour				
Number of Sheet per Pack				
Construction				
Jaw Opening				
Jaw Width				
Jaw Depth				
Jaw Height Capacity				
Jaw Height from Base				
Overall Length with Jaws Closed				
Overall Length with Jaws Fully Closed				
Clamping Slot Width				
Maximum Clamping Force				
Rotating Vice Head				
Mounting				
Base Type				
Weight				