



SETRON, cylindrical fuse link, Class CC, 6 A, time-lag, current-limiting, Un AC: 600 V, respect national installation rules! for protection of motor-circuits

Model	
product brand name	SETRON
product designation	Cylindrical fuse link
General technical data	
operating class of the fuse link	Slow, current limiting
size of the fuse link	Class CC
type of voltage / of the operating voltage	AC
operating voltage / at AC / rated value	600 V
operational current / at AC / rated value	6 A
Main circuit	
operational current / rated value	6 A
Product details	
product component / striker	No
Mechanical Design	
mounting position	Any, preferably vertical
net weight	8 g
General Product Approval	
Declaration of Conformity	



[Confirmation](#)



[UK Declaration of Conformity](#)

other

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW3060-0HG>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NW3060-0HG>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW3060-0HG



