

14x10x04 ABS Plastic Weatherproof Outdoor IP24 NEMA 3R Enclosure,  
 Hook & Loop Mounting, Vent Lid & 48 VDC PoE outlets Gray

## TEP141004-40VW



### Features

- Compact Weatherproof Molded ABS Enclosure
- Fully gasketed padlockable raised lid, Vented with Rain Guards for Indoor/Outdoor Convection Cooling
- NEMA Type 3R / IP24 rated
- 802.3af compatible PoE interface with Cat 5 Surge Protection
- Heavy duty hook-and-loop tape for mounting equipment in enclosure

### Applications

- Remote Wireless LAN WiFi equipment installations
- Indoor and outdoor installations
- Rapid Deployment Installations
- Corrosive environments & hotspot applications
- Protection of equipment from theft or damage

### Description

Secure your wireless equipment...

Remote wireless equipment such as access points, routers and bridges often are more vulnerable to tampering and theft. This can disrupt and even cripple critical communications. A low cost solution for protecting and securing your wireless equipment is the TEP141004-40VW. This rugged, weather-proof composite enclosure is ideal for both indoor and outdoor applications. The compact size of this enclosure makes it ideal for locations with limited space requirements such as equipment closets or mobile applications. Also due to its size, the TEP141004-40FW can be used where aesthetics are important, such as in offices and in public areas requiring HotSpots.

The 10.5" x 9.5" x 4" (266 x 241 x 101 mm) compartment features a removable power module with two 48 VDC PoE outlets. This power module has provisions to install two additional outlets. Cable access to the inside of the enclosure is via three rubber cable glands located on the bottom. Equipment can be mounted inside the enclosure by using the included hook-and-loop tape. The raised vented lid has rain guards installed to allow for outdoor installations and features a continuous gasket and a quick release latch with provisions for a padlock. The enclosure material is UV stabilized molded ABS. Three gasketed mounting holes are provided inside the enclosure for easy installations.

The TEP14-PMT17 pole mounting kit (sold separately) is specifically designed for this enclosure and allows you to securely mount the enclosure to any 3-12 inch diameter pole

#### Size

Outer Height	14.5 in	[368.3 mm]
Outer Width	10.8 in	[274.32 mm]
Outer Depth	4.3 in	[109.22 mm]
Inner Height	10.5 in	[266.7 mm]
Inner Width	9.5 in	[241.3 mm]
Inner Depth	4 in	[101.6 mm]
Weight	3.5 lbs	[1.59 kg]
Enclosure Material	ABS Plastic	

### Environmental Specifications

NEMA Rating	3R
-------------	----

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [14x10x04 ABS Plastic Weatherproof Outdoor IP24 NEMA 3R Enclosure, Hook & Loop Mounting, Vent Lid & 48 VDC PoE outlets Gray TEP141004-40VW](#)

14x10x04 ABS Plastic Weatherproof Outdoor IP24 NEMA 3R Enclosure,  
Hook & Loop Mounting, Vent Lid & 48 VDC PoE outlets Gray



## TEP141004-40VW

Ingress Protection (IP) Rating	IP24
--------------------------------	------

### Compliance Certifications

UL Listed	No
-----------	----

Transtector Systems specializes in protection of highly sensitive, low voltage equipment through its patented, non-degrading silicon diode technology and custom filters. Our power quality expertise translates into a diverse product offering including AC, DC, and signal applications as well as integrated cabinets, power distribution panels and EMP hardened devices.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [14x10x04 ABS Plastic Weatherproof Outdoor IP24 NEMA 3R Enclosure, Hook & Loop Mounting, Vent Lid & 48 VDC PoE outlets Gray TEP141004-40VW](#)

URL: <https://www.transtector.com/14x10x04-abs-plastic-weatherproof-outdoor-ip24-nema-tep141004-40vw-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Transtector reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Transtector does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Transtector does not assume any liability arising out of the use of any part or documentation.

14x10x04 ABS Plastic Weatherproof Outdoor IP24 NEMA 3R Enclosure,  
Hook & Loop Mounting, Vent Lid & 48 VDC PoE outlets Gray

TEP141004-40VW CAD Drawing



UNLESS OTHERWISE SPECIFIED, LEADING DIMENSIONS ARE INCHES DIMENSIONS IN [ ] ARE MILLIMETERS.

**TOLERANCES:**  
 X±.2 [5.08] FRACTIONS ±.1/32  
 XX±.01 [.25] ±.1/32  
 XXX±.005 [.13] ANGLES ±1°

ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY.

THIRD-ANGLE PROJECTION

**TRANSTECTOR**  
 TRANSTECTOR SYSTEMS, INC.  
 10701 AIRPORT ROAD, HAYDEN, IDAHO 83835  
 PHONE: 1.208.635.6400  
 FAX: 1.208.955.2041

THE INFORMATION AND DESIGN IN THIS DOCUMENT IS THE PROPERTY OF TRANSTECTOR CORPORATION. ALL RIGHTS RESERVED.

SHEET 1 OF 1  
 SCALE N/A

SIZE A CAGE 30992 PART NUMBER TEP141004-40VW  
 DRAWN BY BPUCHASKI REV A

THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW PROHIBITED.