PHILIPS Lighting



The right choice for a broad range of new construction and retrofit applications

Centium T8 Instant Start

Reliable and energy efficient Philips Advance's Centium commercial grade specifications, plus added benefits of lamp striation reduction technology.

Benefits

- \cdot Compatible with Energy Saving lamps
- \cdot Eligible for Utility Rebates
- \cdot Maximizes fixture design
- \cdot Reduces packaging waste

Features

- IntelliVolt (120-277V) input voltage range
- \cdot Lamp Striation Reduction
- \cdot Meets NEMA Premium/CEE
- Smallest enclosure in industry

Application

General office lighting, institutional, government, health care, school applications.

Centium T8 Instant Start

Versions





CENTIUM ELE BALLAST (3) F32T8 120-277V



CENTIUM ELE BALLAST (1) F32T8 120-277V CENTIUM ELE BALLAST (2) F32T8 120-277V CENTIUM ELE BALLAST (2) F32T8 120-277V CENTIUM ELE BALLAST (2) F32T8 120-277V

Dimensional drawing





	Product
1	CENTIUM ELE BALLAST (4) F32T8 120-277V
	CENTIUM ELE BALLAST (4) F32T8 120-277V
	CENTIUM ELE BALLAST (1) F32T8 120-277V
	CENTIUM ELE BALLAST (1) F32T8 120-277V
	CENTIUM ELE BALLAST (3) F32T8 120-277V
	CENTIUM ELE BALLAST (3) F32T8 120-277V
	CENTIUM ELE BALLAST (2) F32T8 120-277V
	CENTIUM ELE BALLAST (2) F32T8 120-277V

Product

Operating and electrical	
Input Frequency	50 to 60 Hz
Input Voltage	120 to 277 V
Total Harmonic Distortion USA	10 %
General information	
Lamp Type	F32T8

General information

Order Code	Full Product Name	Number Of Lamps
ICN3P32N35I	CENTIUM ELE BALLAST (3) F32T8 120-277V	2/3 piece/unit
ICN3P32N35M	CENTIUM ELE BALLAST (3) F32T8 120-277V	2/3 piece/unit
ICN4P32N35I	CENTIUM ELE BALLAST (4) F32T8 120-277V	3/4 piece/unit
ICN4P32N35M	CENTIUM ELE BALLAST (4) F32T8 120-277V	3/4 piece/unit
ICN2P32N35I	CENTIUM ELE BALLAST (2) F32T8 120-277V	1/2 piece/unit
ICN2P32N35M	CENTIUM ELE BALLAST (2) F32T8 120-277V	1/2 piece/unit

Order Code	Full Product Name	Number Of Lamps
ICN1P32N35I	CENTIUM ELE BALLAST (1) F32T8 120-277V	1 piece/unit
ICN1P32N35M	CENTIUM ELE BALLAST (1) F32T8 120-277V	1 piece/unit
ICN2M32MC35I	CENTIUM ELE BALLAST (2) F32T8 120-277V	2 piece/unit
ICN2M32MC35M	CENTIUM ELE BALLAST (2) F32T8 120-277V	2 piece/unit
ICN132MC35I	CENTIUM ELE BALLAST (1) F32T8 120-277V	1 piece/unit

Product family leaflet, 2021, December 9

Centium T8 Instant Start

Mechanical and housing

Order Code	Full Product Name	Housing
ICN3P32N35I	CENTIUM ELE BALLAST (3) F32T8 120-277V	Ν
ICN3P32N35M	CENTIUM ELE BALLAST (3) F32T8 120-277V	Ν
ICN4P32N35I	CENTIUM ELE BALLAST (4) F32T8 120-277V	Ν
ICN4P32N35M	CENTIUM ELE BALLAST (4) F32T8 120-277V	Ν
ICN2P32N35I	CENTIUM ELE BALLAST (2) F32T8 120-277V	Ν
ICN2P32N35M	CENTIUM ELE BALLAST (2) F32T8 120-277V	N

Order Code	Full Product Name	Housing
ICN1P32N35I	CENTIUM ELE BALLAST (1) F32T8 120-277V	Ν
ICN1P32N35M	CENTIUM ELE BALLAST (1) F32T8 120-277V	Ν
ICN2M32MC35I	CENTIUM ELE BALLAST (2) F32T8 120-277V	MC
ICN2M32MC35M	CENTIUM ELE BALLAST (2) F32T8 120-277V	MC
ICN132MC35I	CENTIUM ELE BALLAST (1) F32T8 120-277V	MC



© 2021 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.

www.lighting.philips.com 2021, December 9 - data subject to change