

FEATURES

- **Stainless steel grub screws with hexagon socket**
- **Metric thread**
- **Various thread sizes available, including M3, M4, M5, M6 and M8**
- **Good corrosion resistance**
- **Countersunk – the head does not stick out so that nothing can hit it and interfere with the operation of the application**
- **Also used in many internal joinery applications**
- **Requires a Hex key / Allen key**

RS PRO M3 x 6mm Hex Socket Set Screw Plain Stainless Steel

RS Stock No.: 137-720



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

RS PRO hexagon socket countersunk screws are an excellent choice when you need a fastener to sit flush or below the surface of your material.

General Specifications

Thread Size	M3
Material	Stainless Steel
Finish	Plain
Screw Type	Set Screw
Head Shape	Hex Socket Set
Drive Type	Hex
Corrosion Resistant	Yes
Application	Fasteners and fixings; Machine tooling and repair; Security guarding; Electronic applications; Automotive industry

Mechanical Specifications

Length	6mm
Stainless Steel Type	A2 304
Specification	DIN 912

Approvals

Compliance/Certifications	RoHS, DIN
----------------------------------	-----------



RS Part No.	Thread Size	Length
137714	M3	3mm
137720	M3	6mm
137742	M4	4mm
137758	M4	6mm
137764	M4	12mm
137770	M5	5mm
137792	M5	10mm
137821	M6	8mm
137837	M6	12mm
137843	M6	16mm
137714	M3	3mm



RS Stock No.	Size	Length
137-714	M3	3mm
137-720	M3	6mm
124-7389	M3	8mm
137-736	M3	12mm
137-742	M4	4mm
137-758	M4	6mm
124-7390	M4	8mm
124-7391	M4	10mm
137-764	M4	12mm
137-770	M5	5mm
124-7392	M5	6mm
137-786	M5	8mm
137-792	M5	10mm
137-809	M5	12mm
124-7393	M5	16mm

RS Stock No.	Size	Length
137-815	M6	6mm
137-821	M6	8mm
124-7394	M6	10mm
137-837	M6	12mm
137-843	M6	16mm
124-7395	M6	20mm
124-7396	M6	30mm
137-859	M8	8mm
124-7397	M8	10mm
137-865	M8	12mm
137-871	M8	16mm
124-7398	M8	20mm
124-7399	M8	25mm